

Manufacturer Part #	MODEL
SPOA10	SPOA10N700BL
SPOA10 71"	SPOA10N705BL
SPOA10 EH2	SPOA10N707BL
SPOA10-RA	SPOA10N8G0BL
SPOA10-RA 71"	SPOA10N8G5BL
SPOA10-RA EH2	SPOA10N8G7BL
SPOA10-TA	SPOA10N8T0BL
SPOA10-TA 71"	SPOA10N8T5BL
SPOA10-TA EH2	SPOA10N8T7BL
SPOA10-FA	SPOA10N800BL
SPOA10-FA 71"	SPOA10N805BL
SPOA10-FA EH2	SPOA10N807BL
SPOA7-LP-A	SPOA7N5L0BL
SPOA7-LPA 71"	SPOA7N5L5BL
SPOA7-LPA EH2	SPOA7N5L7BL
SPOA7-MP	SPOA7N6X0BL
SPOA7-MP 71"	SPOA7N6X5BL
SPOA7-MP EH2	SPOA7N6X7BL
SPO10	SPO10N700BL
SPO10 71"	SPO10N705BL
SPO10 EH2	SPO10N707BL
SPO12-TA	SPO12N7T5BL
SPO12-TA EH1	SPO12N7T6BL
SPO12-TA EH2	SPO12N7T7BL
SPO12-TA EH3	SPO12N7T8BL
SPO12-TALC	SPO12N7TLBL
SPO12-WIDE	SPO12N7W6BL
SPO12-WIDE-EH1	SPO12N7W7BL
FJ5115	FJ6115BK
SPO16	SPO16N1T0BL
SPO16CARGO	SPO16N1A0BL
SPO16-LC	SPO16N1TLBL
SPO16CARGO-LC	SPO16N1ALBL
SPO20	SPO20N1T0BL
SPO20-LC	SPO20N1TLBL
SPOA10-SW	SPOA10U705BL

SPOA10-SW EH2	SPOA10U707BL
SPOA10-RASW	SPOA10U8G5BL
SPOA10-RASW EH2	SPOA10U8G7BL
SPOA10-TASW	SPOA10U8T5BL
SPOA10-TASW EH2	SPOA10U8T7BL
SPOA10-FASW	SPOA10U805BL
SPOA10-FASW EH2	SPOA10U807BL
SPOA7-MPSW	SPOA7U6X5BL
SPOA7-MPSW EH2	SPOA7U6X7BL
SPO12-SW	SPO12U7T5BL
SPO12-SW EH1	SPO12U7T6BL
SPO12-SW EH2	SPO12U7T7BL
SPO12-SW EH3	SPO12U7T8BL
SPO16-SW	SPO16U1T0BL
SPO20-SW	SPO20U1T0BL
FJ7923	FJ7923
FA595	FA595BL
FA7129	FA7129BK
FA5208	FA5208BK
N2244YL	N2244YL
FJ6227	FJ6227BL
SMO14L	SMO14N101TYBL
SMO14EL2	SMO14N102TYBL
SM14L	SM14N101TYBL
SM14EL2	SM14N102TYBL
SM18	SM18N000BL
SM18-EL2	SM18N001BL
RFL25	RFL25N010BL
SM30-S	SM30N010BL
SM30-L	SM30N011BL
SM30-EL3	SM30N012BL
SMO14L-SW	SMO14U101TYBL
SMO14EL2-SW	SMO14U102TYBL
SM14L-SW	SM14U101TYBL
SM14EL2-SW	SM14U102TYBL
X14	X14N0010BL
X14-FM	X14N0011BL
FC5974	FC5974BL
FC5102	FC5102BL
RJ6000Y-R	RJ6100YM
RJ7000Y	RJ7100YM

RJ9000YBK	RJ9100YM
RJ9000Y-1BK	RJ9000Y-1BK
RJ9000Y-2BK	RJ9000Y-2BK
VSJ30PRU	VSJ30PRU
RJ152BK	RJ152BK
S100077Kit	S100077Kit
S100016	S100016BL
S100017	S100017BL
SB700071Y	SB700071Y
FJ2427	FJ2427
FJ2428	FJ2428
SB100040YL	SB100040YL
SB100017YL	SB100017YL
SB100003YL	SB100003YL
FJ6211BK	FJ6211BK
S100151	S100151BL
S100152Y	S100152YBL
S100013	S100013BL
FC5825BK	FC5825BK
FC5780-3	FC5780-3BL
FC5781-7	FC5781-7BL
FC663BK	FC663BK
FC613BK	FC613BK
FC5378BK	FC5378BK
FC5967BK	FC5967BK
FC5968BK	FC5968BK
FC5247	FC5247
FC5760-14	FC5760-14
FC7138	FC7138
FC5393BK	FC5393KITBK
FC5414	FC5414BK
S100093	S100093BK
FA5211	FA5211
FA5211KIT	FA5211KIT
TT1001	TT1001KIT
FA5155KIT	FA5155KIT
S130205	S130205
S130237	S130237
S100147	S100147
S100148	S100148
S100096	S100096

S100095	S100095
FC7118	FC7118
S100052	S100052
FA647	FA647BL
S100060	S100060BL
S100142YBL	S100142YBL
S100012	S100012BL
S100018	S100018BL
FA641-18	FA641-18BL
ARO14L	ARO14N101TYBL
ARO14-EL2	ARO14N102TYBL
AR18	AR18N110BL
AR18-EL	AR18N111BL
ARO14L-SW	ARO14U101TYBL
ARO14-EL2-SW	ARO14U102TYBL
S100130-L	S100130MBL
S100131-EL2	S100131MBL
S100136-L	S100136MBL
S100171	S100171BL
S100137-EL2	S100137MBL
S100182	S100182BL
S100181	S100181BL
FA5501-1	FA5501-1BL
FC7125	FC7125BL
FC7117 Kit	PK304FC7117Y
R1070 Pro CCD	RWA7080WS
R5000HD CTAPRO	RWA8060TWS
STDA117	STDA117
XA14	XA14N0110BL
XA14-FM	XA14N0111BL
Z100006	Z100006BL
Z100007	Z100007BL
Z100008	Z100008BL
Z100009	Z100009BL
Z100010	Z100010BL
Z100011	Z100011BL
Z100012	Z100012BK
Z100013	Z100013BK
Z100014	Z100014
Z100017	Z100017KITYL

Z100020	Z100020BK
FA5157	FA5157KIT
Z100022	Z100022BL
RLP77	RLP77N0000MBL
XX100018	XX100018
XX100019	XX100019
XX100032	XX100032YL
XX100003BK	XX100003BK
VLXS7	VLXS7000BL
VLXS10	VLXS10000BL
N257KITYL	N257KITYL
N2206YL	N2206YL
FJ5123YL	FJ5123YL
FJ5204YL	FJ5204YL
MW-200	MW-200
MW-500	MW-500
FA5310	FA5310
FJ2498	FJ2498
FJ2439	FJ2439
FJ2440	FJ2440
S100046	S100046BK
S100130MBL	S100130MBL
S100150YBL	S100150YBL
SH4D-5555	SH4D-5555
SH4D-6000G	SH4D-6000G
SH4D-8050	SH4D-8050
SH4D-9000	SH4D-9000
H4D-8000	H4D-8000
TPB10-D1	TPB10-D1
T100285BK	T100285BK
FJ6257	FJ6257KIT
RJ35BK	RJ35BK
RRJ45G	RRJ45G
RRJ70GBK	RRJ71GBK
M110108BK	M110108BK
M140148BK	M140148BK
M140014	M140014
M120304BK	M120304BK
M140107	M140107
M140150	M140150BK
SL210-MP8	SL210N8X0BL
SL210-FA	SL210N1000BL
SL210-RA	SL210N10G0BL

SL210-TA	SL210N10T0BL
SL212-TA	SL212N1010BL
SL210i-MP8	SL210IN8X0BL
SL210i-FA	SL210IN1000BL
SL210i-RA	SL210IN10G0BL
SL210i-TA	SL210IN10T0BL
SL212i-TA	SL212IN1010BL
T110577	T110577
SL210-MP8SW	SL210U8X0BL
SL210-FASW	SL210U1000BL
SL210-RASW	SL210U10G0BL
SL210-TASW	SL210U10T0BL
SL212-TASW	SL212U1010BL
T110555	T110555BK
SL210-MP8SW finish	SL210U8X0FBL
SL210-FASW finish	SL210U1000FBL
SL210-RASW finish	SL210U10G0FBL
SL210-TASW finish	SL210U10T0FBL
SL212-TASW finish	SL212U1010FBL
T100275	T100275BK
T100276	T100276BK
T100277	T100277BK
T100281	T100281BK
T100282	T100282BK
T100290BK	T100290BK
T100291BK	T100291BK
T110606	T110606BK
FJ864BK	FJ864BK
T110280BK	T110280BK
T110165BK	T110165BK
T110425	T110425BK
SL210-MP8 finish	SL210N8X0FBL
SL210-FA finish	SL210N1000FBL
SL210-RA finish	SL210N10G0FBL
SL210-TA finish	SL210N10T0FBL
SL212-TA finish	SL212N1010FBL
SL210i-MP8 finish	SL210IN8X0FBL

SL210i-FA finish	SL210IN1000FBL
SL210i-RA finish	SL210IN10G0FBL
SL210i-TA finish	SL210IN10T0FBL
SL212i-TA finish	SL212IN1010FBL
T100249	T100249BK
T100270	T100270BK
T100268	T100268BK
T100269	T100269BK
T100107	T100107BK
T100210	T100210BK
T110177	T110177BK
T100094	T100094BK
T100035	T100035BK
T100239	T100239BK
T110270	T110270BK
T100236	T100236BK
T100011 Hose Kit	T100011
T140072	T140072
FA5700	FA5700
FA5701	FA5701
FA5702	FA5702
FA7815	FA7815
FA834-KIT	FA834-KIT
FA835-KIT	FA835-KIT
FJ6115BK	FJ6115BK
FJ6212KITYL	FJ6212KITYL
FJ6195YL	FJ6195YL
FJ6133BK	FJ6133BK
FJ6137BK	FJ6137BK
FJ6138BK	FJ6138BK
FJ6190YL	FJ6190YL
FJ6139BK	FJ6139BK
FJ6100BK	FJ6100BK
FJ6104BK	FJ6104BK

FJ6105BK	FJ6105BK
FJ6117BK	FJ6117BK
FJ6197	FJ6197
FJ6225	FJ6225
FJ71015-1kit	FJ71015-1kit
FJ71016-1kit	FJ71016-1kit
FJ7880BK	FJ7880BBK
FJ6200	FJ6200
FJ6258	FJ6258KIT
FJ6259	FJ6259KIT
T100271	T100271BK
T100272	T100272
T100273	T100273
T100274	T100274
N539	N539
FA5911BK	FA5911BK
FA5910BK	FA5910BK
FA915	FA915
FA916KIT	FA916KIT
FA2259BK	FA2259BK
FA2260BK	FA2260BK
FA5202	FA5202
FA5112	FA5112
FA5221	FA5221
FA7118	FA7118BK
FA7385	FA7385BK
N823	N823
FA5191E	FA5191EBK
FA5974	FA5974
FA5900BK	FA5900BK
LP20041	LP20041
SV0060	SV0060
SV0061	SV0061
SV0062	SV0062
SV0063	SV0063
FA845-MCH	FA845-MCH-KIT
FLEX MAX™ 214	MCHM214U100BKYL
FLEX MAX™ 414	MCHM414U100BKYL
FLEX MAX™ 614	MCHM614U100BKYL



<b>FLEX MAX™</b>	<b>814</b>	<b>MCHM814U100BKYL</b>
<b>FLEX MAX™</b>	<b>219</b>	<b>MCHM219U100BK</b>
<b>FLEX MAX™</b>	<b>419</b>	<b>MCHM419U100BK</b>
<b>FLEX MAX™</b>	<b>619</b>	<b>MCHM619U100BK</b>
<b>FLEX MAX™</b>	<b>819</b>	<b>MCHM819U100BK</b>
<b>MCHW218</b>		<b>MCHW218U100RD</b>
<b>MCHW418</b>		<b>MCHW418U100RD</b>
<b>MCHW618</b>		<b>MCHW618U100RD</b>
<b>FA8137</b>		<b>FA8137</b>
<b>FA8136</b>		<b>FA8136</b>
<b>M140112</b>		<b>M140112</b>
<b>M140115</b>		<b>M140115</b>
<b>ML41YL</b>		<b>ML41YL</b>
<b>M140070YL</b>		<b>M140070YL</b>
<b>FD2353KITYL</b>		<b>FD2353KITYL</b>
<b>FD2448KITYL</b>		<b>FD2448KITYL</b>
<b>M140004RD</b>		<b>M140004RD</b>
<b>M140124RD</b>		<b>M140124RD</b>
<b>M110175</b>		<b>M110175RD</b>
<b>M140012RD</b>		<b>M140012RD</b>
<b>M140001RD</b>		<b>M140001RD</b>
<b>M140041RD</b>		<b>M140041RD</b>
<b>M140015RD</b>		<b>M140015KITRD</b>
<b>M140129CG</b>		<b>M140129CG</b>
<b>M140003</b>		<b>M140003</b>
<b>M140144</b>		<b>M140144</b>

AC100005	AC100005
M140157	M140157RD
S100166	S100166BL
S100128	S100128BL
Moveable Jack-Non Recessed	Moveable Jack-Non Recessed
Moveable Jack-Recessed W/Pocket	Moveable Jack-Recessed W/Pocket
Moveable Jack-Recessed W/Pocket	Moveable Jack-Recessed W/Pocket & Auton
Stationary Post 12,000lb	Stationary Post 12,000lb
Stationary Post 18,000lb	Stationary Post 18,000lb
Stationary Post 25,000lb	Stationary Post 25,000lb
Dual Jack Frame (Side by Side)	Dual Jack Frame (Side by Side)
M140168YL	M140168YL
RS20SYL	RS20SYL
RS2052SYL	RS2052SYL
RS20-VAYL	RS20-VAYL
ARO22N000	ARO22N000
ARO22N000ZP	ARO22N000ZP
ARO22N001	ARO22N001
ARO22N001ZP	ARO22N001ZP
M140180YL	M140180YL
M120651YL	M120651YL
M140171BK	M140171BK
M140181	M140181
M140182	M140182
M140153RD	M140153RD
RJ9100YM	RJ9100YM
RJ9100YM-1	RJ9100YM-1
RJ9100YM-2	RJ9100YM-2
RJ15BK	RJ15BK
RJ14BK	RJ14BK
RJ30BK	RJ30BK
HDC36	HDC36U010RD
HDC36L	HDC36U011RD
HDC50	HDC50U010RD
HDC50L	HDC50U011RD

HDC60	HDC60U010RD
HDC60L	HDC60U011RD
M140099RD	M140099RD
M140133RD	M140133RD
M140111RD	M140111RD
M140125RD	M140125RD
M140105	M140105
M140106	M140106
RJ22BK	RJ22BK
RJ25BK	RJ25BK
RJ32BK	RJ32BK
RJ42BK	RJ42BK
MOD35M-10	MOD35M-10
MOD35M-18	MOD35M-18
MOD35M-21	MOD35M-21
MOD35M-24	MOD35M-24
For MOD35M frame only. Any length.	For MOD35M frame only. Any length.
MOD35S	MOD35S
MC235C	MC235C
MC335C	MC335C
MC235PO	MC235PO
MC335PO	MC335PO
MC235RC	MC235RC
MC335RC	MC335RC
AK-SBA70-2PK	AK-SBA70-2PK
AK-HTA70-2PK	AK-HTA70-2PK
AK-ULP70-2PK	AK-ULP70-2PK
AK-ULP105-3PK	AK-ULP105-3PK
AK-HTA105-3PK	AK-HTA105-3PK
FD2361BK	FD2361BK
FD2438BK	FD2438BK
FD2356ECYL	FD2356ECYL
FD2408ECYL	FD2408ECYL
FD2382ECYL	FD2382ECYL
FD6798	FD6798
MC100045BK	MC100045BK
MC100046BK	MC100046BK
MC100039RD	MC100039RD
MC100040	MC100040
MC100050	MC100050
MC100049	MC100049

MC100052	MC100052
MC100051	MC100051
AK-SBA60-2PK	AK-SBA60-2PK
AK-HTA60-2PK	AK-HTA60-2PK
AK-TRLP60-2PK	AK-TRLP60-2PK
AK-HTA90-3PK	AK-HTA90-3PK
AK-TRLP90-3PK	AK-TRLP90-3PK
EFX60	EFX60
EFX90	EFX90
EFX1712165000	EFX1712165000
EFX1712165100	EFX1712165100
EFX0906211002	EFX0906211002BK
EFX0906211003	EFX0906211003BK
EFX0906211004	EFX0906211004BK
EFX1401031200	EFX1401031200YL
EFX0809511200	EFX0809511200BL
EFX0809531200	EFX0809531200BL
EFX0809471200	EFX0809471200BL
EFX1207511200	EFX1207511200BL
EFX1207521200	EFX1207521200BL
EFX1207531200	EFX1207531200BL
EFX1601100012	EFX1601100012
EFX1601200012	EFX1601200012
EFX1601300012	EFX1601300012
EFX1601400012	EFX1601400012
EFX1601500012	EFX1601500012
P5117	P5117-200VBK
P5118	P5118-200VBK
P5122	P5122-200VBK
P863	P863-200VBK
P862	P862-200VBK
AK-SBA50-2PK	AK-SBA50-2PK
AK-HTA50-2PK	AK-HTA50-2PK
AK-HTA75-DUAL	AK-HTA75-DUAL
AK-ULP50-2PK	AK-ULP50-2PK
AK-ULP75-3PK	AK-ULP75-3PK
FD2361	FD2361BK
FD2438	FD2438BK
FA75	FA75
V44-28 S	V44-28 S
VRX44-28LF00RD	V44-28 F
V44-30 S	V44-30 S
VRX44-30LF00RD	V44-30 F

V44-32 S	V44-32 S
VRX44-32LF00RD	V44-32 F
V44-36 S	V44-36 S
VRX44-36CF00RD	V44-36 F
V64-28 S	V64-28 S
VRX64-28LF00RD	V64-28 F
V64-30 S	V64-30 S
VRX64-30LF00RD	V64-30 F
V64-32 S	V64-32 S
VRX64-32LF00RD	V64-32 F
V64-36 S	V64-36 S
VRX64-36CF00RD	V64-36 F
V64-48 S	V64-48 S
VRX64-48LF00RD	V64-48 F
V80-28 S	V80-28 S
VRX80-28LF00RD	V80-28 F
V80-30 S	V80-30 S
VRX80-30LF00RD	V80-30 F
V80-32 S	V80-32 S
VRX80-32LF00RD	V80-32 F
V80-48 S	V80-48 S
VRX80-48LF00RD	V80-48 F
V40006	V40006
V40007	V40007BL
V40008	V40008BL
V40009	V40009BL
V40034	V40034
APAUXHT	APAUXHT
AB100004RD	AB100004RD
VREX 28' PIT COVERS	V40033WG
VREX 32' PIT COVERS	V40033WG
VREX 36' PIT COVERS	V40035WG
VREX 48' PIT COVERS	V40038WG
V30100	V30100
Cord Reel	V40036
V40010	V40010
V40011	V40011
AP00405	AP00405
AP00406	AP00406
AP00407	AP00407
AC100003	AC100003
AC300016	AC300016

Junior-Jack2	Junior-Jack2
GA4	GA4
R12	R12
FD6690EGBK	FD6690EGBK
R1150	RWC1150.30IB
R247D.CL	RWC247D.CLIB
R145D	RWC645D.26IHRB
R148 Pro 2D	RWB348DB
R146R	RWC246.26IRB
R146RP	RWC246.26IRP
R140i	RWC240.22IB
PLUS91N	PLUS91N
R511	RWC11EISB
R501N	RWC101B
R560	RWC26HWSB
VSG1000A102	VSG1000A102
VSG1000A86	VSG1000A86
VSG1000A118	VSG1000A118
VSG800A35	VSG800A35
PLUS91SA	PLUS91SA
VSG800A69	VSG800A69
VSG800A58	VSG800A58
VSG800A77	VSG800A77
VSG800A18	VSG800A18
VSG1000A11	VSG1000A11
VSG800A126	VSG800A126
VSG800A60	VSG800A60
VSG800A99	VSG800A99
VSG800A107	VSG800A107
VSG800A111	VSG800A111KIT
VSG108A25	VSG108A25
VSG90A6	VSG90A6
VSG108A22	VSG108A22
VSG108A24	VSG108A24
VSG800A117KIT	VSG800A117KIT
VSG800A11	VSG800A11
VSG800A6KIT	VSG800A6KIT
VSG800A98	VSG800A98
VSG1000A117	VSG1000A117
VSG1000A117K	VSG1000A117K
VS710013421	VS710013421

VSG108A9	VSG108A9
VS770011650	VS770011650
VSG800A37	VSG800A37
R180	RWB380.3DTECB
R155	RWB355SB
R138	RWB338FMDB
R544	RWB280PLUSB
GAR345	GAR345
GAR324	GAR324
GAR325	GAR325
VS129580500	VS129580500
VS129580191	VS129580191
GAR102	GAR102
GAR351	GAR351
GAR111	GAR111
GAR112	GAR112
GAR113	GAR113
GAR124	GAR124
HW190E400045	HW190E400045
HW150400110	HW150400110
HW150400123	HW150400123
HW150400139	HW150400139
HW210400002	HW210400002
HW200299409	HW200299409
HW280400172	HW280400172
HW900008205	HW900008205
GAR346	GAR346
VS129580160	VS129580160
GAR122	GAR122
GAR114	GAR114
GAR172	GAR172
GAR171	GAR171
GAR173	GAR173
HW700008006	HW700008006
HW700008004	HW700008004
HW700008005	HW700008005
GAR266T	GAR266T
HW280400139	HW280400139
R1080Plus	RWATD3000HPR
R1070	RWA7080WS
R5000HD	RWA8060TWS
STDA29L	STDA29L
STDA128	STDA128
STDA101	STDA101

STDA46EU	STDA46EU
STDA35E	STDA35E
STDA33EU	STDA33EU
STDA92	STDA92
STDA49N	STDA49N
STDA39	STDA39
VS14000AA	VS14000AA
STDA3D/QC	STDA3D/QC
STDA14	STDA14
Z100039BK	Z100039BK
BP9	BP9113000BL
I10	I10N400MBL
I12N300	I12N300TYBL
I12N301	I12N301TYBL
I12N302	I12N302TYBL
I12N303	I12N303TYBL
F12N300	F12N300TYBL
F12N301	F12N301TYBL
F12N302	F12N302TYBL
F12N303	F12N303TYBL
DP15N000	DP15N000BL
DP15N001	DP15N001BL
DP15N002	DP15N002BL
DP18N000	DP18N000BL
DP18N001	DP18N001BL
DP18N002	DP18N002BL
CR14	CR14N201TYBL
CR14 EL	CR14N202TYBL
S100136M	S100136MBL
S100137M	S100137MBL
S100183	S100183
CRA14	CRA14N201TYBL
CRA14 EL	CRA14N202TYBL
S100138	S100138BL
S100139	S100139BL
S100184	S100184
CR30	CR30110100BL
CR30-3	CR30110200BL
FCH213	FCH213U100RDYL
FCH413	FCH413U100RDYL
FCH613	FCH613U100RDYL
M140130	M140130RD
FCH218	FCH218U200RDYL
FCH418	FCH418U200RDYL



<b>FCH618</b>	<b>FCH618U200RDYL</b>
<b>M140101</b>	<b>M140101KITRD</b>
<b>M140166</b>	<b>M140166RD</b>
<b>M140165</b>	<b>M140165RD</b>
<b>M140071</b>	<b>M140071YL</b>
<b>EFP8</b>	<b>EFP8P000MBK</b>
<b>EFP9</b>	<b>EFP9P000MBK</b>
<b>BJ10</b>	<b>BJ10BK</b>
<b>RRJ70G</b>	<b>RRJ71GFWD</b>
<b>RJ901000</b>	<b>RJ901000YBK</b>
<b>RJ153BK</b>	<b>RJ153BK</b>
<b>RJ22L</b>	<b>RJ22BK</b>
<b>FJ6263</b>	<b>FJ6263</b>
<b>FJ6257KIT</b>	<b>FJ6257KIT</b>
<b>FJ6245KIT</b>	<b>FJ6245Y</b>
<b>2800929</b>	<b>2800929BL</b>
<b>134K01</b>	<b>134K01BL</b>
<b>TT1000YKIT</b>	<b>TT1000YKIT</b>
<b>TT1001KIT</b>	<b>TT1001KIT</b>

## Product Description

Lift, 2-post 10,000 lb Asym 2-stage w/flip-up adapters
Lift, 2-post 10,000 lb Asym 2-stage w/flip-up adapters, 71" Rise
Lift, 2-post 10,000 lb Asym 2-stage w/flip-up adapters EH2
Lift, 2-post 10,000 lb Asym w/TRIO rubber adapters (To use with framed vehicles, also order T100273.)
Lift, 2-post 10,000 lb Asym w/TRIO rubber adapters 71" Rise
Lift, 2-post 10,000 lb Asym w/TRIO rubber adapters EH2
Lift, 2-post 10,000 lb Asym w/TRIO truck adapters. Includes (4) 3 1/2" T130660 extensions and (4) 5"
Lift, 2-post 10,000 lb Asym w/TRIO truck adapters 71" Rise
Lift, 2-post 10,000 lb Asym w/TRIO truck adapters EH2
Lift, 2-post 10,000 lb Asym w/TRIO flip-up adapters
Lift, 2-post 10,000 lb Asym w/TRIO flip-up adapters 71" Rise
Lift, 2-post 10,000 lb Asym w/TRIO flip-up adapters EH2
Lift, 2-post 7000 lb Asym 2-stage low profile RA arms
Lift, 2-post 7000 lb Asym 2-stage low profile RA arms 71" Rise
Lift, 2-post 7000 lb Asym 2-stage low profile RA arms EH2
Lift, 2-post 7000 lb Asym Movable Pad Drive Over. Includes (4) FJ2428E spacer blocks and hinged approach ramps. Primarily used on unibody vehicles.
Lift, 2-post 7000 lb Asym Movable Pad Drive Over 71" Rise
Lift, 2-post 7000 lb Asym Movable Pad Drive Over EH2
Lift, 2-post 10,000 lb Sym 2-stage w/flip-up adapters
Lift, 2-post 10,000 lb Sym 2-stage w/flip-up adapters 71" Rise
Lift, 2-post 10,000 lb Sym 2-stage w/flip-up adapters EH2
Lift, 2-post 12,000 lb Sym 3-stage. Includes (4) 3 1/2" FJ6171-1 extensions and (4) 5" FJ6171-2
Lift, 2-post 12,000 lb Sym 3-stage EH1
Lift, 2-post 12,000 lb Sym 3-stage EH2
Lift, 2-post 12,000 lb Sym 3-stage EH3
Lift, 2-post 12,000 lb Sym 3-stage low ceiling
Lift, 2-post 12,000 lb Sym 3-stage wide
Lift, 2-post 12,000 lb Sym 3-stage wide EH1
Adapter kit, aircraft tug lift, 14,000 lb
Lift, 2-post 16,000 lb, Single Phase (no 3-phase) Frame Contact Lift. Clear Floor, All TRIO (TM) Arms, Electric-Hydraulic Operation. With Overhead Adjustments of 15 ft., 15 ft. 6 in., 16 ft. and 16 ft. 6 in. Air Operated Single Point Release Locking Latches. Comes with Stack Adapters.
Lift, 2-post 16,000 lb. 3 Stage Arms
Lift, 2-post 16,000 lb. low ceiling with overhead adjustments of 13 ft. 6 in. and 14 ft. 6 in.
Lift, 2-post 16,000 lb. low ceiling with overhead adjustments of 13 ft. 6 in. and 14 ft. 6 in. 3 Stage Arms
Lift, 2-post 20,000 lb, Single Phase (no 3-phase) Frame Contact Lift. Clear Floor, All TRIO (TM) Arms, Electric-Hydraulic Operation. With Overhead Adjustments of 15 ft., 15 ft. 6 in., 16 ft. and 16 ft. 6 in. Air Operated Single Point Release Locking Latches. Comes with Stack Adapters.
Lift, 2-post 20,000 lb. low ceiling with overhead adjustments of 13 ft. 6 in. and 14 ft. 6 in.
Lift, 2-post 10,000 lb Asym 2-stage w/flip-up adapters, SW

Lift, 2-post 10,000 lb Asym 2-stage w/flip-up adapters, SW EH2
Lift, 2-post 10,000 lb Asym w/TRIO rubber adapters, SW (To use with framed vehicles, also order
Lift, 2-post 10,000 lb Asym w/TRIO rubber adapters, SW, EH2
Lift, 2-post 10,000 lb Asym w/TRIO truck adapters, SW Includes (4) 3 1/2" T130660 extensions and (4) 5" T130661 extensions.
Lift, 2-post 10,000 lb Asym w/TRIO truck adapters, SW EH2
Lift, 2-post 10,000 lb Asym w/TRIO flip-up adapters, SW
Lift, 2-post 10,000 lb Asym w/TRIO flip-up adapters, SW EH2
Lift, 2-post 7000 lb Asym w/movable pads, SW Includes (4) FJ2428E spacer blocks and hinged approach ramps. Primarily used on unibody vehicles.
Lift, 2-post 7000 lb Asym w/movable pads, SW EH2 Includes (4) FJ2428E spacer blocks and hinged approach ramps. Primarily used on unibody vehicles.
Lift, 2-post 12,000 lb Sym 3-stage SW Includes (4) 3 1/2" FJ6171-1 extensions and (4) 5" FJ6171-2
Lift, 2-post 12,000 lb Sym 3-stage SW EH1
Lift, 2-post 12,000 lb Sym 3-stage SW EH2
Lift, 2-post 12,000 lb Sym 3-stage SW EH3
Lift, 2-post 16,000 lb. Shockwave DC Controls & Power.
Lift, 2-post 20,000 lb. Shockwave DC Controls & Power.
Latch cable, SS
Power unit splash guard
Power unit bracket extension
• Seismic model of the DC(SW) SPOA10 Std. Hgt. lift with TA and RA arms
Arm kit, 3-stage telescoping arm kit for SPOA9 and SPOA7 200-400
Retrofit kit, Movable pad for SPOA10-500 series and above. Reduces lift capacity to 7,000 lbs.
Lift, 4-post 14,000 lb open front, 182" max wheel base
Lift, 4-post 14,000 lb open front, 215" max wheel base
Lift, 4-post 14,000 lb, 182" max wheel base
Lift, 4-post 14,000 lb, 215" max wheel base
Lift, 4-post 18,000 lb, 194" max wheel base
Lift, 4-post 18,000 lb, 230" max wheel base
Lift, 4-post 25,000 lb, 163" max wheel base, Forklift Lift
Lift, 4-post 30,000 lb, 235" max wheel base
Lift, 4-post 30,000 lb, 271" max wheel base
Lift, 4-post 30,000 lb, 307" max wheel base
Lift, 4-post 14,000 lb open front, 182" max wheel base SW
Lift, 4-post 14,000 lb open front, 215" max wheel base SW
Lift, 4-post 14,000 lb, 182" max wheel base SW
Lift, 4-post 14,000 lb, 215" max wheel base SW
Surface mounted lift, 14,000 lb general service, 198" max wheel base - Available in blue only
<b>Flush mount lift</b> , 14,000 lb general service, 198" max wheel base - Available in blue only
Filler plate, radius gauge, 17.5" opening KIT OF TWO
Filler plate, radius gauge, 18 5/16" opening KIT OF TWO
Rolling Jack, 6000 lb. SM121, SM/SMO122 and AR/ARO122 Prior to April 2000
Rolling Jack, 7000 lb. Includes rubber adapter blocks: (2) 1.5" tall FJ2427E and (2) 3" tall FJ2428E.

Rolling Jack, 9000 lb. For SM18, Includes rubber adapter blocks: (2) .5" tall SB700071Y, (2) 1.5" tall
Rolling Jack, 9000 lb. For SM181 Only
Rolling Jack, 9000 lb. For SM30 Lifts. <u>For Passenger Cars Trucks Only.</u>
Rolling Jack, 7,000 lb for X14 and XA14
Heavy Duty Rolling Jack, 15,000 lb. For SM30, Series Lifts. S/T RJ150 but with a lower profile top and Efficiency package includes (2) RJ7000 and Airline Kit (uninstalled) for SM/SMO14.
Efficiency package, (2) RJ6000 Rolling Bridges, FA5501-1 Bolt-On Alignment Package
Efficiency package includes Two (2) RJ6000 Rolling Bridges, Airline Kit (uninstalled), bolt-on alignment package and stainless steel radius gauge for SM/SMO123.
Adapter, polymer, 1/2". Included in FJ2498 kit.
Adapter, polymer, 1-1/2". Included in FJ2439 kit.
Adapter, polymer, 3". Included in FJ2440 kit.
Adapter kit, extended height, SUV straight axle. Kit includes (2) 7" Adapters. For RJ9000Y.
Adapter kit, extended height, SUV straight axle. Kit includes (2) SB300055 7" Adapters. For RJ7000.
Adapter kit, extended height, SUV straight axle. Kit includes (2) SB300019 7" Adapters. For RJ6000.
Adapters, extended, pad lifts. Includes (4) FJ6205 7" truck adapters.
Ramp chock kit, drive-thru, SM/SMO/ARO14 -100 Series, SM101. Includes Two (2) S110405Y Ramps
Ramp chock kit, extended, SM/SMO/ARO14 -100, SM101. Includes Two (2) S110406Y Ramps (49-7/16") and (2) Hinge Pins. (\$160 Adder Only When Substituted For Standard Length Ramps On New Lift
Ramp chock kit, extended, SM/AR18. Includes Two (2) S110085 Ramps and (2) Hinge Pins. (\$160 Adder Only When Substituted For Standard Length Ramps On New Lift Order.)
Ramp chock Kit, drive-thru, SM18. Includes Two (2) FC5810-43 Ramps and (2) Hinge Pins.
Ramp chock, drive thru, SM300-200, SM30 Series Lifts QTY OF ONE
Ramp chock, extended, SM300-200. QTY 1 \$733 adder when ordered with lift
Jack tray, rolling SM/SMO122, SM/SMO123, SM/SM014. (Bottle Jacks Are Not Included)
Jack tray, rolling, SM30. (Bottle Jacks Not Included)
Work steps, bolt-on, 4-post
Drain pan, 30 Gallon rolling, low profile, QL4P, SM/SMO122, SM/SMO14, SM18, YA-12 at 43" setting
Drain pan, 30 Gallon rolling, SM30
Hose, 8 ft oil drain w/QD fitting
Internal Air Line Kit (retrofit) for all SM/SMO14 Series, SM18, QL12 and Y-Lift
Internal Air Line Kit (retrofit) for all X14 and XA14
Shim kit, 1/4", SM/SMO, AR/ARO123, QL Models, SM18, SM30 <b>4" OF SHIMS</b>
Shim kit, 1/4", SM/SMO, AR/ARO123, QL Models, SM18, SM30 <b>8" OF SHIMS</b>
Shim kit, front Of SMO14/ARO14, (2) 1/4" & (4) 1/16" Shims.
Turntable, 7500 lb SS
Turntable kit, 7500 lb
Radius gauge kit, 3000 lb, SS. Includes (2) FA5153 S/S radius gauges; and (4) Retaining Bars -- Part #
Radius gauge kit, 3000 lb. Includes (2) Standard Turning Radius Gauges--Part #FA5157; and (4)
Radius gauge, 4500 lb, no pointer, SS (2 required)
Radius gauge, AR18, no pointer, SS (2 required)
Shield kit, rear SS, AR/ARO14 -100 Series
Shield kit, front SS, AR/ARO14 -100 Series
Shield kit, rear SS, AR/ARO14

Shield kit, front SS, AR/ARO14
Shield kit, rear SS, AR/ARO12
Shield kit, front SS AR/ARO12
Runway extension, 2 ft, SM/SMO 12,000 lb
Runway extension, 2 ft, SM/SMO 14,000 lb.
Runway extension, 2 ft for SM14-100
Runway extension, 2 ft SM18/180
Runway extension, 3 ft SM300-200/300, SM30
Runway extension, 3 ft SM300-100
Lift, 4-post 14,000 lb alignment, open front, 182" max wheel base
Lift, 4-post 14,000 lb alignment, open front, 215" max wheel base
Lift, 4-post 18,000 lb alignment, 194" max wheel base
Lift, 4-post 18,000 lb alignment, 230 max wheel base
Lift, 4-post 14,000 lb alignment, open front SW, 182" max wheel base SW
Lift, 4-post 14,000 lb alignment, open front SW, 215" max wheel base SW
Alignment kit, bolt-on SM/SMO14-100 Series w/SS radius gauges, slip plates 182" WB
Alignment kit, bolt-on SM/SMO14-100 Series w/SS radius gauges, slip plates 215" WB
Alignment kit, bolt-on SM/SMO14-100 Series w/slip plates 182" WB
Alignment Bolt On SM/SMO14 Series
Alignment kit, bolt-on SM/SMO14-100 Series w/slip plates 215" WB
Alignment kit, bolt-on SM18 w/SS steel radius gauges, slip plates 194" WB
Alignment kit, bolt-on SM18-EL2 w/SS steel radius gauges, slip plates 230" WB
Alignment kit, Smart Lift DOR style lift. Kit consists of Bolt-on Kit, front turning Stainless Steel Radius Gauge Kit, rear slip plate kit, leveling legs, and all necessary hardware (drilling and tapping required). Recommended for use with (2) Rolling Jacks for performing 4-Wheel Alignment. FC7117 kit.
A Wheel Alignment w/ Rollback Conversion Package For SM30 Series Lifts Including: (1) FC5394 Heavy Duty Carbon Steel Turntables (Pair) And Guides; (2) Front/Rear Rollback Plates; (1) FC5395 Heavy Duty Bolt On Work Step Kit; Recoil Hose; Necessary Hardware And Instructions. (Drilling Required.)
Filler adapter kit, alignment rack
8-CCD sensor wheel alignment with infra-red transmission among measuring heads
Commercial Truck Aligner
Set of two sensor support kits for model R1080
Surface mounted lift, 14,000 lb alignment, 198" max wheel base, air locking rear slip-plates, jacks and
<b>Flush mount lift</b> , 14,000 lb alignment, 198" max wheel base, air locking rear slip-plates, jacks and
Ramps, rear, extended (add \$160 when ordering with lift in place of standard ramps).
Ramps, rear, flush (add \$160 when ordering with lift in place of standard ramps).
Ramps, front, standard drive thru, 54"
Ramps, front, extended drive thru, 70"
Ramps, flush front drive thru
Slip plate refurbish kit, rear
Shim kit, 2 1/4" total
Shim kit, 2" total
Slip plate base kit, rear, SS
Hose relocate kit

Spacer tool
Radius gauge, carbon steel QTY OF ONE
Radius gauge filler kit, Y-Lift
Lift, double scissor Fixed Pad. Available in colors of blue, red and black.
Hose kit 4.5' extension (1.5mm).
Hose kit 8' extension (2.5mm).
Long Ramp Kit
Flush mount kit.
Lift, 7000 lb fixed pad low rise
Lift, 10,000 lb fixed pad low rise
Arm kit, TL07-200/400 Series to flip-up style
Arm kit, TL07-500 Series to flip-up style
Rail Bolster Kit for SPO9-200/400 Series, 7000 lbs
Rail Bolster Kit for SPO10-500 Series and about, 7000 lbs
Wheel lift, 200 lbs air operated. Includes air hose and auxiliary air tool connection.
Wheel lift, 500 lbs air operated. Includes air hose and auxiliary air tool connection.
Crossbeam Kit, Movable Pad Lifts. Kit comes with (2) FA5306 Aluminum Crossbeams, (4) FJ2427E 1 1/2" and (4) FJ2428E 3" Rubber Pad Adapters and (4) FJ6211BK 7" Extended Height Adapters.
Adapter kit, polymer pad, 1/2" . Includes (4) SB700071Yspacer blocks.
Adapter kit, polymer pad, 1 1/2". (Kit Includes (4) FJ2427E Adapters.)
Adapter kit, polymer pad, 3". Includes (4) FJ2428E spacer blocks.
Power unit bracket to move power unit to front of column
Alignment bolt-on kit, RFP14-100 series
Ramps, drive-thru, RFP14
Drip tray, RFP9, (4) required for complete coverage
Ramp, drive-thru, RFP9
Jack tray, RFP9
Solid deck flooring panel, RFP9, requires (8) per lift
Solid deck flooring panel, RFP8, requires (8) per lift
Door Bumper Kit includes (2) PV-3005 bumpers and hardware
Adapter kit, truck w/rack
3-Stage or 2-Stage Adapter (2) for 2019 GM Trucks, Revolution R10/RTP10 400 Series, Revolution
Rolling jack, 3500 lb
Rolling jack, 4500 lb
Rolling jack, 7000 lb
Cart, fore and aft frame lifting kit for storage and moving.
Light, 24VDC LED service lamp kit (2 rectangular lamps), MCH13
Service Chip for standard MCH's ONLY (required to program MCH's).
Large wheel adapter (per column). Raises vehicle for greater access by lift forks.
Analog Weight gauge for MCH13.
Pallet Jack Assembly for a MCH Column. Black only. Will fit 13k-19k columns.
Lift, 8000 lb SmartLift w/moveable pads Includes (4) 3" FJ2428E, (4) 1-1/2" FJ2427E spacer blocks and
Lift, 10,000 lb SmartLift w/flip-up adapters
Lift, 10,000 lb SmartLift w/rubber adapters (To use with framed vehicles, also order T100273.)

Lift, 10,000 lb SmartLift w/truck adapters Includes (4) 3 1/2" T130660 extensions and (4) 5" T130661
Lift, 12,000 lb SmartLift w/truck adapters Includes (4) 3 1/2" T130660 extensions and (4) 5" T130661
Lift, 8000 lb SmartLift w/moveable pads, inbay
Lift, 10,000 lb SmartLift w/flip-up adapters, inbay
Lift, 10,000 lb SmartLift w/rubber adapters, inbay (To use with framed vehicles, also order T100273.)
Lift, 10,000 lb SmartLift w/truck adapters, inbay Includes (4) 3 1/2" T130660 extensions and (4) 5"
Lift, 12,000 lb SmartLift w/truck adapters, inbay Includes (4) 3 1/2" T130660 extensions and (4) 5"
Inbay parts box components. Includes power unit/inbay control box, hardware.
Lift, 8000 lb SmartLift w/movable pads, SW Includes (4) 3" FJ2428E, (4) 1-1/2" FJ2427E spacer blocks and the FJ2487E rubber pad kit.
Lift, 10,000 lb SmartLift w/TRIO flip-up adapters, SW
Lift, 10,000 lb SmartLift w/TRIO rubber adapters, SW (To use with framed vehicles, also order
Lift, 10,000 lb SmartLift w/TRIO truck adapters, SW Includes (4) 3 1/2" T130660 extensions and (4) 5"
Lift, 12,000 lb SmartLift w/TRIO truck adapters, SW Includes (4) 3 1/2" T130660 extensions and (4) 5"
Shockwave Inground Portion Only For Split SL Orders -- Both Conventional and LDS (Liquid Detection System) Versions. <b>LDS on workbench only.</b>
Finish kit, 8000 lb SmartLift w/movable pads, SW, Includes (4) 1 1/2" FJ2427E spacer blocks, (4) 3" FJ2428E spacer blocks and mounting hardware. Also includes FJ2487E rubber pad kit.
Finish kit, 10,000 lb SmartLift w/TRIO flip-up adapters, SW
Finish kit, 10,000 lb SmartLift w/TRIO rubber adapters, SW (To use with framed vehicles, also order
Finish kit, 10,000 lb SmartLift w/TRIO truck adapters, SW, Includes (4) 3 1/2" T130660 extensions and
Finish kit 12,000 lb SmartLift w/TRIO truck adapters, SW, Includes (4) 3 1/2" T130660 extensions and
Completion kit, SL210 and SL212 SW, Contains 8 1/2" plungers, equalizers, guide barrels, cylinders, hoses, lock components and hardware. To make a complete lift also requires a future/relocation kit (T110177) and a finish kit. No power unit included.
Retrofit kit, SW for SL210 500 series and above, arm style
Retrofit kit, SW for SmartLifts, moveable pad style
Retrofit kit, SW bench controls for SmartLifts, arm style
Retrofit kit, SW bench controls for SmartLifts, moveable pad style
Conversion kit, SL210 Shockwave bench control
Conversion kit, SL212 Shockwave bench control
Pedestal kit, SmartLift DC Control (no cost if ordered with lift)
Power unit stand, low rise lifts
Power unit stand, SmartLift, 1 phase
Power unit stand, 3 phase One Touch controls -- no cost when ordering a lift
Inground Portion Only For Split SL Orders, Conventional and LDS
Finish kit, 8000 lb SmartLift w/movable pads, Includes (4) FJ2427E 1-1/2" spacer blocks, (4) FJ2428E 3" spacer blocks, mounting hardware.
Finish kit, 10,000 lb SmartLift w/TRIO flip-up adapters
Finish kit, 10,000 lb SmartLift w/TRIO rubber adapters (To use with framed vehicles, also order
Finish kit, 10,000 lb SmartLift w/TRIO truck adapters Includes (4) 3 1/2" T130660 extensions and (4) 5"
Finish kit 12,000 lb SmartLift w/TRIO truck adapters Includes (4) 3 1/2" T130660 extensions and (4) 5"
Finish kit, 8000 lb SmartLift w/movable pads, inbay, Includes (4) FJ2427E 1-1/2" spacer blocks, (4) FJ2428E 3" spacer blocks, mounting hardware and liquid detection system.

Finish kit, 10,000 lb SmartLift w/TRIO flip-up adapters, inbay
Finish kit, 10,000 lb SmartLift w/TRIO rubber adapters, inbay (To use with framed vehicles, also order
Finish kit, 10,000 lb SmartLift w/TRIO truck adapters, inbay Includes (4) 3 1/2" T130660 extensions and
Finish kit 12,000 lb SmartLift w/TRIO truck adapters, inbay Includes (4) 3 1/2" T130660 extensions and
Superstructure kit, Moveable-pad for Smart lifts with 8 1/2" piston diameter, Includes (4) FJ2427E 1-1/2" spacer blocks, (4) FJ2428E 3" spacer blocks, spotting dish, relief valve and mounting hardware.
Superstructure kit, TRIO FA SL210-400 series and above, Includes adapters, spotting dish, arm pins and
Superstructure kit, TRIO RA SL210-400 series and above, Includes adapters, spotting dish, arm pins and
Superstructure kit, TRIO TA SL210-400 series and above, Includes adapters, spotting dish, arm pins and
Superstructure kit, SL212, Includes adapters, spotting dish, arm pins and mounting hardware.
Superstructure kit, 3-stage SL29-300 series and below, Includes adapters, spotting dish, arm pins and
Future kit, SL210/212 500 series and later
Completion Kit for 6" plunger for T110126 Relocation Kit. Does not include superstructure.
Superstructure kit for 6" plunger completion kits, includes 2 Yokes, 4 Swinging Arms, 4 Swivel Three-Position Frame Contact Adapters, Wheel Dish and Yoke Bolts.
Completion kit, SL210, SL210i, SL212 and SL212i for T110177 future kit. Contains 8 1/2" plungers, equalizers, guide barrels, cylinders, hoses, lock compoents, and hardware. To make a complete lift this kit also requires a future/relocation kit and a finish/kit. No power unit included.
Gasket and cover kit for 400 SL Models. No charge when ordering with completion kit
Inbay liquid detection system - Conversion Kit for SL210, SL212 and SL29
Hose kit, pre-cut 25' hydraulic hose, air regulator
Grease, Mobil 1 SHC1500 12.5 oz. cartridge
Light kit, LED, Four 48" wands w/magnetic clips
Light kit, Two 32" wands w/magnetic clips
Light, Rechargeable LED handheld
Retrofit kit, Spotline™ laser spotting
Locklight kit, 110 volt. Comes with indicator light assembly, pressure switch, mounting bracket and 10'
Locklight kit, 220 volt. Comes with indicator light assembly, pressure switch, mounting bracket and 10'
Adapter kit, extended height w/rack. 2,500 lb capacity maximum per adapter. Includes (4) FJ696 Adapters and 2 Piece Column or Wall-Mounted Adapter Rack FJ6114.
Adapter kit, extended height w/rack. 2,500 lb. capacity per adapter. Kit includes a set of (4) FJ6212 adapters and 2 piece column or wall mounted adapter rack FJ6114.
Adapter kit, extended height. 2,500 lb capacity per adapter. Includes a set of (2) FJ6196 adapters.
Adapter kit, extended height w/rack. 2,500 lb maximum capacity per adapter. Includes (4) FJ6101 Adapters and 2 Piece Column or Wall-Mounted Adapter Rack FJ6114.
Adapter kit, extended height polymer w/rack. Includes (4) FJ7858 Adapters and 2 Piece Column or Wall-Mounted Adapter Rack FJ6114.
Adapter kit, 1/2" polymer w/rack. Includes (4) FJ697 Adapters, 2 Piece Column or Wall-Mounted
Adapter kit, 1" polymer w/rack. Includes (4) FJ6189 Adapters, 2 Piece Column or Wall-Mounted
Adapter kit, 2.5" polymer w/rack. Includes (4) FJ698 Adapters, 2 Piece Column or Wall-Mounted
Adapter kit w/rack. Includes (4) FJ696, (4) FJ697 And (4) FJ698 Plus 2 Piece Column or Wall-Mounted Adapter Organizer Rack Part #FJ6108.
Adapter kit w/rack. Includes (4) FJ6101, (4) FJ697 And (4) FJ698 Plus 2 Piece Column or Wall-Mounted Adapter Organizer Rack Part #FJ6108.



Adapter kit w/rack. Includes (2) FJ696, (2) FJ6101, (4) FJ697, (4) FJ698 Plus 2 Piece Column or Wall-Mounted Adapter Organizer Rack Part #FJ6108.
Adapter kit w/rack. Includes (4) FJ7858, (4) FJ697, (4) FJ698 Plus 2 Piece Column Adapter Organizer
Adapter kit, (4) FJ6214, 3-stage arms
Adapter kit, (4) FJ6202, 3-stage arms
Passenger Vehicle Adapter kit, (4) low profile adapters for SPO16, CAPACITY 2,750 lbs. each
Passenger Vehicle Adapter kit, (4) low profile adapters for SPO20, CAPACITY 2,750 lbs. each
Adapter kit, stackable pins w/rack, 3-stage arms. Includes four (4) FJ6171-1 (3.5" tall extension), four (4) FJ6171-2 (5" tall extension) and FJ6127 rack kit with mounting hardware.
Adapter kit, (4) FJ6201, SPO12-10, 300-500
3-Stage Adapter (2) for 2019 GM Trucks, SPO10/SPOA10-RA/TA with 3-Stage arms, SPO12/500-700 Series, SL210-RA/TA with 3-Stage Arms, SL212/1000 Series
Flip-up Adapter for 2019 GM Trucks, SPOA10/SPO10, SL210-FA, any Rotary lifts with flip adapters
Adapter kit, stackable pins for TRIO w/rack. Includes four (4) T130660 (3.5" tall extension) and four (4) T130661 (5" tall extension) and (2) T130683 rack kit with mounting hardware.
Adapter kit, round rubber for the TRIO Superstructure. Includes four (4) FJ6219 adapters.
Adapter kit, truck for TRIO Superstructure. Includes four (4) T110564 adapters.
Adapter kit, Flip-up for TRIO Superstructure (except SL212). Includes components for four (4) arms.
Column base cover plate, SPOA7/A9 -200 plus, SPOA10
Air/Electric utility box w/FRL, 2-post lifts
Air/Electric utility box, 2-post lifts
Air/Electric utility box w/FRL, 4-post lifts
Air/Electric utility box, 4-post lifts
Air/Electric utility box w/FRL, SM30
Air/Electric utility box, SM30
Air/Electric utility box, dual w/FRL, 1.6 inbay only
Shim plate kit, 3/4" total, 2-post & SMO123 front
Shim plate kit, 3/4" total, AT07
Overhead Cutoff Switch Assembly, 1 phase
Overhead Cutoff Switch Assembly, 3 phase
Door Defender. Includes 1 Door Defender, adhesive to attach to the lift and instructions.
Tool Holder
WheelWing™ kit. Includes (set of 2) 2 dishes, shims, adjustable to fit various lifts. 100 lb. capacity per
WheelWing 2 Post Column Mounting Kit. Mount Wheel Wing on Column Instead of Front Arm on
Warranty, extended 3 year parts for light duty
Warranty, extended 2 year parts for Parallelogram, HDC, VR, VREX
Warranty, extended 4 year parts for Parallelogram, HDC, VR, VREX
Warranty, extended 2 year parts for Mobile Columns, per pair
Warranty, extended 4 year parts for Mobile Columns, per pair
Additional remote control for Flex lifts. Includes charger and stand. (Works on FLEX™) Programming remote requires Rotary Tool laptop programmer.
14k Lb. per column capacity portable lift. Same system as FLEX™ but upgraded operation at column
14k Lb. per column capacity portable lift. Same system as FLEX™ but upgraded operation at column
14k Lb. per column capacity portable lift. Same system as FLEX™ but upgraded operation at column

14k Lb. per column capacity portable lift. Same system as FLEX™ but upgraded operation at column
18.8k Lb. per column capacity portable lift. Same system as FLEX™ but upgraded operation at column
18.8k Lb. per column capacity portable lift. Same system as FLEX™ but upgraded operation at column
18.8k Lb. per column capacity portable lift. Same system as FLEX™ but upgraded operation at column
18.8k Lb. per column capacity portable lift. Same system as FLEX™ but upgraded operation at column
18K Lb. Per Column Capacity Portable Lift. Electro-Hydraulic System with Adjustable Forks. 24VDC Battery Operated with 110 V Charging System. Sold in Groups of 2 with Wireless Communication.
18K Lb. Per Column Capacity Portable Lift. Electro-Hydraulic System with Adjustable Forks. 24VDC Battery Operated with 110 V Charging System. Sold in Groups of 4 with Wireless Communication.
18K Lb. Per Column Capacity Portable Lift. Electro-Hydraulic System with Adjustable Forks. 24VDC Battery Operated with 110 V Charging System. Sold in Groups of 6 with Wireless Communication.
Upgrade a single FLEX™ Column with new display membrane to a FLEX MAX™ - Additional board and remote software update included. Programming remote requires Rotary Tool laptop programmer.
Upgrade a single FLEX™ Column without new display membrane to a FLEX MAX™ - Additional board and remote software update included. Programming remote requires Rotary Tool laptop programmer.
Locklight™ MCH kit compatible/retrofittable with DC versions of MCH13 and MCH18 columns.
Locklight™ MCH kit for AC mobile columns and MCH columns with pressure gauges already installed. Includes all parts for M140112 and necessary adapter hoses/fitting.
Saddle Cross Beam With Two (2) Support Blocks For Frame Pick-Up. For HP, MCH18 and Flex Models ONLY.
Low Profile Cross Beam With Two (2) Support Blocks For Frame Pick-Up. For HP, MCH18 and Flex Models ONLY. 30,000 lbs Capacity at 49" adapter spread. 21,000 lbs. Capacity at 25" adapter spread.
Ramp style cross beam with (2) ramps for RV pick-up. Capacity 22,000 lbs. For HP, MCH18 and Flex
Extra wide ramp style cross beam with (2) ramps for WingPlows. Cap. 28,000 lbs. MCH18 and Flex 19
Forklift Ramp Kit used with the MCH418 series to utilize two MCH columns to service forklifts. Easily attaches to the base of the column and provides clearance needed to raise 4-wheeled forklifts with a weight
of 10,000 lbs. (NOTE: Most 6,000 lb. capacity trucks weigh 10,000 lbs. or less; however, the truck
Forklift Ramp Kit used with the MCH418 Flex 419 series to utilize two MCH columns to service forklifts. Easily attaches to the base of the column and provides clearance needed to raise 4-wheeled forklifts with a weight of 18,000 lbs. (NOTE: Most 10,000 lb. capacity trucks weigh 18,000 lbs. or less; however, the truck weight should be verified before being lifted.) For Drive-on/Back-off operation.
Forklift cart for easy mobility of Forklift kits.
Forklift Ramp Kit
Long Fork Kit. Each kit includes two 22" forks (8" longer than standard) and two 8" leg extensions. Reduces capacity of column to 12,000 lbs. FOR MCH and Flex MODELS ONLY. 18,000/19,000 lb.
Long Fork Kit. Each kit includes two 20" forks (6" longer than standard) and two 8" leg extensions. Reduces capacity of column to 14,500 lbs. FOR MCH and Flex MODELS ONLY. 18,000/19,000 lb.
Drive-on runway assembly for use with MCH418 and Flex Mobile Columns. 60,000 lbs. capacity. Mac wheel base 33'. (MCH418+) RJ25001LBK can be used with these runways. Includes airline kit.
Drive-on runway assembly for use with MCH413 and Flex Mobile Columns. 36,000 lbs. capacity. Length 30 feet. (MCH413+) . Includes airline kit.
Pendant for MCH Mobile Column Lift System with 33' cable.
Service Chip for FLEX columns only.

Rotary programming tool for heavy duty lifts. Software for laptop running Windows XP/7/8/10. (Laptop not included.)
Analog Gauge Kit for MCH/RCH Series
SM18 -- Bolt-On Alignment Kit converts SM18/SM18EL lifts to alignment racks. Kits include stainless steel radius gauges, slip plates and ramp modifications and necessary mounting hardware. Rolling jacks
SM18 -- Bolt-On Alignment Kit converts SM18/SM18EL lifts to alignment racks. Kits include stainless steel radius gauges, slip plates and ramp modifications and necessary mounting hardware. Rolling jacks
25,000lb Capacity 17" Frame 10.6" Piston
25,000lb Capacity 17" Frame 10.6" Piston Standard Cover Plates
25,000lb Capacity 17" Frame 10.6" Piston Shutter Plates
12,000lb Capacity 10.6" Single Piston 48" Pocket
18,000lb Capacity 10.6" Single Piston 48" Pocket
25,000lb Capacity 10.6" Single Piston 48" Pocket
50,000lb Capacity Dual 10.6" Pistons 48" Pocket
Fore and Aft Frame Kit
Screw Type Adjustable 56.1"-82.3"
Screw Type Adjustable 34.3"-55.5"
V Shaped Adapter for Rotary Jack Stand 15K to 20K (1) Per Stand
4 Post Alignment 22,000lb Capacity 194" Wheelbase
4 Post Alignment 22,000lb Capacity 194" Wheelbase Zinc Primed
4 Post Alignment 22,000lb Capacity 230" Wheelbase
4 Post Alignment 22,000lb Capacity 230" Wheelbase Zinc Primed
Cab Off Adapter for M140168 Fore and Aft Kit
Wide Center Adapter for Use With M140168YL ONLY
24VDC LED Service Lamp Kit
Forklift Ramp Carriage
Forklift Ramp Carriage For Double or Triple Pallet Truck
3 Wheel Forklift Kit
9,000lb Capacity Rolling Jack
9,000lb Capacity Rolling Jack SM181 Only Welded Tracks
9,000lb Capacity Rolling Jack SM30 Series
15,000lb Capacity Rolling Jack for ARO22
14,000lb Capacity Rolling Jack
30,000lb Capacity Rolling Jack
Heavy Duty Truck/RV lift, 4-Post, 28" Wide Adjustable Runways, Standard 6°, 72" Approach Ramps and Jack Rails, 25' Runways, 110 VAC. Airline Kit is included in the parts box & batteries
Same as HDC36 except 30' runways.
Heavy Duty Truck/RV lift, 4-Post, 28" Wide Adjustable Runways, Standard 6°, 72" Approach Ramps and Jack Rails, 28' Runways, 110 VAC. Airline Kit is included in the parts box & batteries
Same as HDC50 except 33' runways.

Heavy Duty Truck/RV lift, 4-Post, 28" Wide Adjustable Runways, Standard 6°, 72" Approach Ramps and Jack Rails, 28' Runways, 110 VAC. Airline Kit is included in the parts box & batteries
Same as HDC60 except 33' runways.
Drive-Thru Ramp Kit for All HDC 50 and 60 Models.
Drive-Thru Ramp Kit for All HDC 36 Models.
HDC Column Mobility Kit. (Adds Wheels and Steering to HDC Columns for Mobile Use.) HDC 50 & 60
HDC Column Mobility Kit. (Adds Wheels and Steering to HDC Columns for Mobile Use.) HDC 36 Models
2" Shim Kit for HDC 36K, 50K, or 60K lifts. Kit is sized for single column.
1" Shim Kit for HDC (Two 1/2, Two 1/4, Two 1/8, Two 1/16) 36K, 50K, or 60K lifts. Kit is sized for single
22,000lb Rolling Jack
25,000lb Rolling Jack
32,000lb Rolling Jack
42,000lb Rolling Jack
Modular Movable Jack Unit With 10' Long Track. Use for Tandem rear applications. (*not equipped
Modular Movable Jack Unit With **18' Long Track. (*not equipped with adapter kits)
Modular Movable Jack Unit With** 21' Long Track. (*not equipped with adapter kits)
Modular Movable Jack Unit With ** 24' Long Track (*not equipped with adapter kits)
Modular Stationary Jack Unit (*not equipped with adapter kits)
For 2-Post Lift Configuration - Separate Panel With VEC Equalized, Control Panel in Bay.
For 3-Post Lift Configuration - Separate Panel With VEC Equalized, Control Panel in Bay.
For 2-Post Lift Configuration - Separate Panel With VEC Equalized, Control Panel Remote Mounted,
For 3-Post Lift Configuration - Separate Panel With VEC Equalized, Control Panel Remote Mounted,
For 2-Post Lift Configuration - Separate Panel With VEC Equalized, Control Panel Remote Mounted,
For 3-Post Lift Configuration - Separate Panel With VEC Equalized, Control Panel Remote Mounted,
Adapter kit for most School Bus applications. For use on (2-Post lift configuration).
Adapter kit for most Heavy Duty Truck applications. For use on (2-Post lift configuration).
Adapter kit for most Low Profile Transit Bus operations. For use on (2-Post lift configuration).
Adapter kit for most Transit Bus applications. For use on (3-Post lift configuration).
Adapter kit for most Heavy Duty Truck applications. For use on (3-Post lift configuration).
Universal Adapter Stand Kit.
Mobile Adapter Cart.
Low Profile Saddle (no adaptors) (flat plate)
Ultra Flat Low Profile Saddle with 2 sets of inserts included (choose 2 part #s FD2379, FD2380, FD2381, FD2363, FD2384, FD2385). See adapter guide for description. Compatible with older MOD30s.
3 Hole Sliding Adapter for FD2347 Saddle - must order 2.
Preconfigured #5 rebar mat (price is per each 3' x 4' section) for ease of installation.
Liquid Evacuation Kit for 2-Post MOD35.
Liquid Evacuation Kit for 3-Post MOD35.
Pedestal Kit.
Cord Reel -- No Festoon Special Low Voltage, Clutch Contacts. For Pendant only operation.
MOD35 FLEX™ Remote Control Kit - 2 Post
MOD35 FLEX™ Remote Control Kit - 3 Post & Tandem

MOD30 FLEX™ Remote Control Kit - 2 Post (Converts JT14 cylinders only)
MOD30 FLEX™ Remote Control Kit - 3 Post & Tandem (Converts JT14 cylinders only)
Adapter kit for <u>most</u> <i>School Bus</i> applications. For use on (2-Post lift configuration).
Adapter kit for <u>most</u> <i>Heavy Duty Truck</i> applications. For use on (2-Post lift configuration).
Adapter kit for <u>most</u> <i>Low Profile Transit Bus</i> operations. For use on (2-Post lift configuration).
Adapter kit for <u>most</u> <i>Heavy Duty Truck</i> applications. For use on (3-Post lift configuration).
Adapter kit for <u>most</u> <i>Low Profile Transit Bus</i> operations. For use on (3-Post lift configuration).
Moveable Scissor and Stationary Scissor Lift With Unit Controls 60,000lb Capacity
Moveable Scissor and Stationary Scissor Lift With Unit Controls 90,000lb Capacity
2 Scissor Pendant - hand held. No Festoon.
3 Scissor Pendant - hand held. No Festoon.
Shims available in 1/8" thickness.
Shims available in 1/4" thickness.
Shims available in 1/2" thickness.
Three (3) Hole Sliding Adapter for Rear EFX.
6" cover for 48" wide pit
12" cover for 48" wide pit
24" cover for 48" wide pit
6" cover for 50" wide pit (Tandem)
12" cover for 50" wide pit (Tandem)
24" cover for 50" wide pit (Tandem)
17' Nosing Kit
13' Nosing Kit
10' Nosing Kit
Stationary Nosing Kit
Tandem Nosing Kit
(2) 10.6" piston, all electric, 350 PSI, 25000 lbs of capacity per piston.
(3) 10.6" piston, all electric, 350 PSI, 25000 lbs of capacity per piston
(2) 10.6" piston, all electric, 350 PSI, 25000 lbs of capacity per piston
(2) 10.6" piston, all electric, 350 PSI, In Pit and Equalized, 25000 lbs of capacity per piston.
(3) 10.6" piston, all electric, 350 PSI, In Pit and Equalized, 25000 lbs of capacity per piston.
Adapter Kit for MOST school bus applications. For use on a 2 piston configuration.
Adapter Kit for MOST heavy truck applications. For use on a 2 piston configuration.
Adapter Kit for MOST heavy truck applications. For use on a 3 piston configuration.
Adapter Kit for MOST transit applications. For use on a 2 piston configuration.
Adapter Kit for MOST transit applications. For use on a 3 piston configuration.
Universal Adapter Stand Kit
Mobile Car for Universal Adapters
Remote Push button starter. For use as a remote switch on multi-lift installations. Consult factory for power unit. For surface mounted power units only.
4-Leg Surface Mounted Clear Floor Open Base Vertical Rise Lift 300" Wb 44,000lb Capacity 28"
4-Leg Flush Mounted Clear Floor Open Base Vertical Rise Lift 300" Wb 44,000lb Capacity 28'
4-Leg Surface Mounted Clear Floor Open Base Vertical Rise Lift 324" Wb 44,000lb Capacity 30"
4-Leg Flush Mounted Clear Floor Open Base Vertical Rise Lift 324" Wb 44,000lb Capacity 30'

4-Leg Surface Mounted Clear Floor Open Base Vertical Rise Lift 348" Wb 44,000lb Capacity 32'
4-Leg Flush Mounted Clear Floor Open Base Vertical Rise Lift 348" Wb 44,000lb Capacity 32'
4-Leg Surface Mounted Clear Floor Open Base Vertical Rise Lift 396" Wb 44,000lb Capacity 36'
4-Leg Flush Mounted Clear Floor Open Base Vertical Rise Lift 396" Wb 44,000lb Capacity 36'
4-Leg Surface Mounted Clear Floor Open Base Vertical Rise Lift 300" Wb 64,000lb Capacity 28"
4-Leg Flush Mounted Clear Floor Open Base Vertical Rise Lift 300" Wb 64,000lb Capacity 28'
4-Leg Surface Mounted Clear Floor Open Base Vertical Rise Lift 324" Wb 64,000lb Capacity 30"
4-Leg Flush Mounted Clear Floor Open Base Vertical Rise Lift 324" Wb 64,000lb Capacity 30'
4-Leg Surface Mounted Clear Floor Open Base Vertical Rise Lift 348" Wb 64,000lb Capacity 32'
4-Leg Flush Mounted Clear Floor Open Base Vertical Rise Lift 348" Wb 64,000lb Capacity 32'
4-Leg Surface Mounted Clear Floor Open Base Vertical Rise Lift 396" Wb 64,000lb Capacity 36'
4-Leg Flush Mounted Clear Floor Open Base Vertical Rise Lift 396" Wb 64,000lb Capacity 36'
4-Leg Surface Mounted Clear Floor Open Base Vertical Rise Lift 540" Wb 64,000lb Capacity 48'
4-Leg Flush Mounted Clear Floor Open Base Vertical Rise Lift 540" Wb 64,000lb Capacity 48'
4-Leg Surface Mounted Clear Floor Open Base Vertical Rise Lift 300" Wb 80,000lb Capacity 28'
4-Leg Flush Mounted Clear Floor Open Base Vertical Rise Lift 300" Wb 80,000lb Capacity 28'
4-Leg Surface Mounted Clear Floor Open Base Vertical Rise Lift 324" Wb 80,000lb Capacity 30'
4-Leg Flush Mounted Clear Floor Open Base Vertical Rise Lift 324" Wb 80,000lb Capacity 30'
4-Leg Surface Mounted Clear Floor Open Base Vertical Rise Lift 348" Wb 80,000lb Capacity 32'
4-Leg Flush Mounted Clear Floor Open Base Vertical Rise Lift 348" Wb 80,000lb Capacity 32'
4-Leg Surface Mounted Clear Floor Open Base Vertical Rise Lift 540" Wb 80,000lb Capacity 48'
4-Leg Flush Mounted Clear Floor Open Base Vertical Rise Lift 540" Wb 80,000lb Capacity 48'
Built-in Air
8 ft. (2.4m) Drive-thru ramp kit.
10 ft. (3m) Drive-thru ramp kit
12 ft. (3.7m) Drive-thru ramp kit.
Light Kit (pair) Kits required: 28'-30'=3 kits; 32'-36'=4 kits; 48'=5 kits. 50' cords
Height Limiter included on all VRX models. It is turned on with Rotary Programming Tool.
Retractable Wheel Kit for Rolling Jack
Pit Covers for VREX Lifts (28' & 30' Runway Version, kit is for both runways)
Pit Covers for VREX Lifts (32' Runway Version, kit is for both runways)
Pit Covers for VREX Lifts (36' Runway Version, kit is for both runways)
Pit Covers for VREX Lifts (48' Runway Version, kit is for both runways)
Laptop Programmer Cord for vertical rise (VRX) only.
VRX Cord Reel for the Pendant (sold seperately)
VRX Pendant
Stainless Steel remote panel for controlling washbay units.
1/16" x 4" x 4" Finger Shims (1.53mm x 101.6mm x 101.6mm)
1/8" x 4" x 4" Finger Shims (2.54mm x 101.6mm x 101.6mm)
1/4" x 4" x 4" Finger Shims (6.35mm x 101.6mm x 101.6mm)
Laptop Programmer Cord for parallelogram only.
Stainless Steel remote panel for controlling washbay units.

Portable high rise jack assembly for removal and transportation of fuel tanks, transmissions, transfer cases and other items. With air assist and foot pedal adjustment for ease in raising and lowering components, swivel caster wheels and patented corrosion protection on the cylinder piston assembly.
Flat style transmission and accessory table with large rubber supports, two straps and a 12 degree tilt. Easily mounts to any pit lift. (4,400 lb. capacity)
Rear of AT1012, AT1212
Totally contained steel enclosure and protected with Enviroguard inside and outside
Premium Leverless Center Post Clamping Tire Changer
Center Post Swing Arm
Tilt Back High Performance Tire Changer
Pro 2D Collets Computer Balancer With Self Calibration and Self Diagnostics
Swing Arm Pro High Performance Tire Changer
Swing Arm Pro High Performance Tire Changer With Helper Arm
Swing Arm Pro
Air-Driven Helper With Following Arm and Lower Bead Roller for Model R140i Swing Arm Changer
Heavy Duty Truck Tire Changer Leverless HD
Heavy Duty Truck Tire Changer Speed Changer HD
Heavy Duty Truck Tire Changer Mobile HD
5 Stud Kit 110mm Long for Reverse Rims Used on VSG1000A87
Mirror for R1150
Match Mounting Roller for R1150
Pneumatic Wheel Lift for Tire Changers
Air Driven Helper With Following Arm and Lower Bead Roller for Model R146 Swing Arm Changer
Wheel Lift Attachment That Works With PLUS91SA Helper
Traction Point for PLUS91SA and PLUS91N Helper Arms
Storage Tray for R145D, R145 and R146
Bead Pushing Roller for R145D, R145, R146 and R140i
Half Moon Bead Lever Performance Tire Lever
Plastic Tool Head W/Support for Tilt Back Units Included With Tilt Back Tire Changer
Plastic Tool Head W/Support for Swing Arm Units Included With All Swing Arm Tire Changers
Motorcycle Adapters for 20-22" Tables
Motorcycle Adapters for 24-26" Tables
Reducing Clamp to 8" Requires VSG800A107 or VSG800A99
Optional Clamp for Earth Moving Wheels for All Heavy Duty Tire Changers
Optional Aluminum Rim Clamp for All Heavy Duty Tire Changers
Disc for Wheels With Lock Ring for Model R560
Disc for Wheels With Lock Ring and Agricultural Wheel for Model R501N
Tool Protection Kit for Models R145, R145D, R146 and R140
Bead Breaker Protection for Models R145/D, R146 & R140i
Replacement 4 Clamp Protectors for Models R145, R145D and R146
Replacement 4 Clamp Protector for Models R140 and R140i.
Replacement Upper Tool Used On R1150 Leverless
Replacement Upper Tool Used On R1150 Leverless
Replacement Hook

Replacement Plastic Tool Protection for R501 Tire Changer
Replacement Plastic Tool for VSG800A60 Swing Arm Units
Tire Paste for Tire Changers
Pro 3D Auto Wheel Balancer
Pro 3D Wheel Balancer
Pro 2D Wheel Balancer
Pro Truck 2D Wheel Balancer
Large Quick Nut Replacement For GAR101
Wheel Lift With Automatic Compensation of Wheel Weight
Wheel Lift Standard Version
Rubber Protection
Pressure Cap
Handwheel Quick Fit Nut Optional Accessory for R122
Standard Air Lock for Model R544
Optional Passenger Cone Kit for R544
Optional Small Light Truck Cone for R544
Optional for All Wheel Balancers Dually Kit Double Sided Cone With Metal Backing Plate for Vans and
Spacer for All Balancers
Distance Spacer Donut 40mm
Pro Collet Kit 40mm
Low Taper Collect #10 40mm
Low Taper Collet #11 40mm
Series IV Quick Plate Kit 40mm
North American Flange Plate Kit 40mm
Pro Centering System
Adapter Tree
Laser Calibration Device
Pressure Ring
Truck Spacer Standard With R544
GAR114 Cones (2) (7.9"-8.7"-11")
Four Finger Adapter
For Model R544 3 Finger Adapter
Five Finger Adapter
HD Centering Stud Aluminum Wheels
Centering Stud Turcks/Buses w/Larger Stud Holes
Centering Stud Short Flat Head
For Model R544 3D Wheel Tire Sensor Caliper for Automatic Measure of Rim Width
ProMax MD 40mm Centering Solutions for All 8 & 10 Lug MD Vehicles
Portable 3D Wheel Aligner System
Pro CCD 8-CCD Sensor Wheel Alignment System
CTA Pro 6-CCD Heavy Duty Commercial Truck Aligner
Pair of Heavy Duty Turntables
Battery Set of 2 for Model R1080 Sensors
Set of 4 Clamping Arms 34" to 44"



Set of 2 Self Centering 4 Point Clamps With Quick Locking Units and ABS Claws
Set of 2 Self Centering 3 Point Clamps With Quick Locking Units and ABS Claws
Set of 2 Self Centering 4 Point Clamps With Removable Claws Clamps 10" to 24" Wheels
Patented Set of 2 Non-Run Out Quick Adapters for Model R5000HD
Truck Trailer Alignment Fixture for R5000HD
8 Tips Cone Style
One Standard Depth ABS Claw for 3 Point Quick Clamps
Kit of Two Stands for Model R1080
CCD Calibration Kit
Camera Brackets for Rotary YA12 Lift
Symmetric Arms & Columns, Chain Driven 9,000lb Capacity
Three Stage Front Spot-Rite Arms Symmetric Columns 10,000lb Capacity 2 Post Lift
3 Stage Symmetric Overall Height 166"
3 Stage Symmetric Overall Height 178"
3 Stage Symmetric Overall Height 154"
3 Stage Symmetric Overall Height 143"
2 Stage Symmetric Overall Height 166"
2 Stage Symmetric Overall Height 178"
2 Stage Symmetric Overall Height 154"
2 Stage Symmetric Overall Height 143"
Symmetric Screw Type Adjustable Adapters Pads 2 Post Lift 15,000lb Capacity Overall Height 12' 10"
Symmetric Screw Type Adjustable Adapters Pads 2 Post Lift 15,000lb Capacity Overall Height 14' 7"
Symmetric Screw Type Adjustable Adapters Pads 2 Post Lift 15,000lb Capacity Overall Height 16' 7"
Symmetric Arms & Columns Screw Type Adjustable Adapter Pads 2 Post Lift 18,000lb Capacity Overall
Symmetric Screw Type Adjustable Adapters Pads 2 Post Lift 15,000lb Capacity Overall Height 14' 7"
Symmetric Screw Type Adjustable Adapters Pads 2 Post Lift 15,000lb Capacity Overall Height 16' 7"
General Service 4 Post Lift 14,000lb Capacity 182.5" Wheelbase
General Service 4 Post Lift 14,000lb Capacity 215" Wheelbase
Bolt On Alignment Kit
Bolt On Alignment Kit EL2
Efficiency Kit For CR14/CRO14
Alignment Rack 4 Post 14,000lb Capacity 182.5" Wheelbase
Alignment Rack 4 Post 14,000lb Capacity 215" Wheelbase
Bolt On Alignment Kit for CR18
Bolt On Alignment Kit for CR18-3
Efficiency Kit For CR18 Includes (2) Rolling Jacks and Internal Airline Kit
General Service 4 Post Lift 30,000lb 271" Wheelbase
General Service 4 Post Lift 30,000lb 308" Wheelbase
Portable (2) Column Lift Battery Operated With Adjustable Forks 26,000lb Capacity
Portable (4) Column Lift Battery Operated With Adjustable Forks 52,000lb Capacity
Portable (6) Column Lift Battery Operated With Adjustable Forks 78,000lb Capacity
Drive On Runway Assembly Includes Airline Kit for use with FCH 25' Length
Portable (2) Column Lift Battery Operated With Adjustable Forks 36,000lb Capacity
Portable (4) Column Lift Battery Operated With Adjustable Forks 72,000lb Capacity

Portable (6) Column Lift Battery Operated With Adjustable Forks 108,000lb Capacity
Drive On Runway Assembly for FCH418
Bolt Down Kit For FCH13
Bolt Down Kit For FCH18
Wheel Adapters
4 Post Enthusiast Lift 8,000lb Capacity
4 Post Enthusiast Lift 9,000lb Capacity
Jack For Motorcycle Lift
Pneumatic Hydraulic Rolling Bridge Jack 7,000lb Capacity
Pneumatic Hydraulic Rolling Bridge Jack 9,000lb Capacity
Ramp Kits
Pneumatic Hydraulic Rolling Bridge Jack 22,000lb Capacity
Wide Drop In Adapter for DP10/I10 Lifts With 1 1/4" Diameter Pilot for Lifting
Wide Drop In Adapter for DP10/I10 Lifts With 1 1/2" Diameter Pilot for Lifting
Kit of Four Round Adapters Bracket and Hardware
24" Wide 47" Long Mounted Approach Drive Thru Ramps Set of Two
24" Wide 72" Long Floor Mounted Approach Drive Thru Ramps Set of Two
Standard Turning Radius Gauge Kit
Stainless Steel Turning Radius Gauge Kit

New NASPO List Price Q3 2022	NASPO Discount %	New Net NASP Price Exclusive of Freight and Commodity Surcharge
9,993.80	38.4%	6,156.18
10,410.49	38.4%	6,412.86
11,307.71	38.4%	6,965.55
11,060.16	38.4%	6,813.06
11,488.05	38.4%	7,076.64
12,396.48	38.4%	7,636.23
11,060.16	38.4%	6,813.06
11,488.05	38.4%	7,076.64
12,396.48	38.4%	7,636.23
11,060.16	38.4%	6,813.06
11,488.05	38.4%	7,076.64
12,396.48	38.4%	7,636.23
11,063.52	38.4%	6,815.13
11,488.05	38.4%	7,076.64
12,396.48	38.4%	7,636.23
14,950.37	38.4%	9,209.43
15,363.70	38.4%	9,464.04
16,262.05	38.4%	10,017.42
9,993.80	38.4%	6,156.18
10,410.49	38.4%	6,412.86
11,307.71	38.4%	6,965.55
16,210.52	38.4%	9,985.68
17,544.59	38.4%	10,807.47
18,029.61	38.4%	11,106.24
18,941.40	38.4%	11,667.90
16,992.37	38.4%	10,467.30
18,165.15	38.4%	11,189.73
19,055.65	38.4%	11,738.28
698.96	38.4%	430.56
35,565.24	38.4%	21,908.19
35,565.24	38.4%	21,908.19
35,565.24	38.4%	21,908.19
35,565.24	38.4%	21,908.19
44,092.79	38.4%	27,161.16
44,092.79	38.4%	27,161.16
11,521.00	38.4%	7,096.94

12,613.00	38.4%	7,769.61
15,144.16	38.4%	9,328.80
13,681.00	38.4%	8,427.50
12,576.00	38.4%	7,746.82
13,681.00	38.4%	8,427.50
15,144.16	38.4%	9,328.80
13,681.00	38.4%	8,427.50
15,242.00	38.4%	9,389.07
16,334.00	38.4%	10,061.74
20,263.15	38.4%	12,482.10
17,936.00	38.4%	11,048.58
22,081.12	38.4%	13,601.97
19,392.00	38.4%	11,945.47
41,067.32	38.4%	25,297.47
49,121.06	38.4%	30,258.57
98.57	38.4%	60.72
127.69	38.4%	78.66
84.01	38.4%	51.75
548.86	38.4%	338.10
3,097.16	38.4%	1,907.85
8,038.05	38.4%	4,951.44
15,024.00	38.4%	9,254.78
19,897.99	38.4%	12,257.16
14,559.45	38.4%	8,968.62
15,498.12	38.4%	9,546.84
24,033.51	38.4%	14,804.64
26,329.77	38.4%	16,219.14
59,665.96	38.4%	36,754.23
44,878.00	38.4%	27,644.85
48,960.88	38.4%	30,159.90
53,042.63	38.4%	32,674.26
17,982.00	38.4%	11,076.91
23,626.90	38.4%	14,554.17
18,483.26	38.4%	11,385.69
19,419.69	38.4%	11,962.53
39,761.25	38.4%	24,492.93
39,761.25	38.4%	24,492.93
495.10	38.4%	304.98
416.69	38.4%	256.68
6,185.36	38.4%	3,810.18
6,815.99	38.4%	4,198.65

7,761.38	38.4%	4,781.01
7,726.66	38.4%	4,759.62
8,614.92	38.4%	5,306.79
6,958.25	38.4%	4,286.28
17,859.35	38.4%	11,001.36
14,423.91	38.4%	8,885.13
18,690.49	38.4%	11,513.34
20,748.17	38.4%	12,780.87
30.24	38.4%	18.63
38.08	38.4%	23.46
51.53	38.4%	31.74
272.19	38.4%	167.67
272.19	38.4%	167.67
272.19	38.4%	167.67
601.51	38.4%	370.53
1,197.42	38.4%	737.61
1,232.14	38.4%	759.00
1,701.48	38.4%	1,048.11
1,568.18	38.4%	966.00
963.31	38.4%	593.40
1,555.86	38.4%	958.41
1,139.17	38.4%	701.73
5,919.89	38.4%	3,646.65
1,144.77	38.4%	705.18
1,769.81	38.4%	1,090.20
2,299.63	38.4%	1,416.57
226.27	38.4%	139.38
850.18	38.4%	523.71
871.46	38.4%	536.82
517.50	38.4%	318.78
749.37	38.4%	461.61
416.69	38.4%	256.68
2,529.25	38.4%	1,558.02
4,934.17	38.4%	3,039.45
3,252.86	38.4%	2,003.76
2,268.26	38.4%	1,397.25
1,374.40	38.4%	846.63
1,615.23	38.4%	994.98
2,565.10	38.4%	1,580.10
2,301.87	38.4%	1,417.95
2,565.10	38.4%	1,580.10

2,301.87	38.4%	1,417.95
2,002.79	38.4%	1,233.72
2,301.87	38.4%	1,417.95
1,187.34	38.4%	731.40
1,583.86	38.4%	975.66
1,583.86	38.4%	975.66
1,583.86	38.4%	975.66
3,341.35	38.4%	2,058.27
4,516.36	38.4%	2,782.08
37,609.00	38.4%	23,167.14
46,082.14	38.4%	28,386.60
48,142.06	38.4%	29,655.51
51,744.40	38.4%	31,874.55
40,295.00	38.4%	24,821.72
49,317.08	38.4%	30,379.32
12,453.60	38.4%	7,671.42
13,265.70	38.4%	8,171.67
6,197.68	38.4%	3,817.77
15,966.33	38.4%	9,835.26
8,115.34	38.4%	4,999.05
10,710.68	38.4%	6,597.78
10,887.66	38.4%	6,706.80
7,619.12	38.4%	4,693.38
11,139.69	38.4%	6,862.05
91.85	38.4%	56.58
28,207.79	38.4%	17,376.00
53,471.59	38.4%	32,938.50
476.06	38.4%	293.25
55,271.69	38.4%	34,047.36
49,344.00	38.4%	30,395.90
1,457.29	38.4%	897.69
1,457.29	38.4%	897.69
1,430.41	38.4%	881.13
1,487.53	38.4%	916.32
1,487.53	38.4%	916.32
2,565.10	38.4%	1,580.10
678.80	38.4%	418.14
678.80	38.4%	418.14
6,811.51	38.4%	4,195.89
744.89	38.4%	458.85

202.74	38.4%	124.89
1,320.63	38.4%	813.51
613.83	38.4%	378.12
21,409.04	38.4%	13,187.97
210.58	38.4%	129.72
249.79	38.4%	153.87
2,043.12	38.4%	1,258.56
925.23	38.4%	569.94
5,098.00	38.4%	3,140.37
7,613.00	38.4%	4,689.61
2,866.41	38.4%	1,765.71
2,866.41	38.4%	1,765.71
8,258.72	38.4%	5,087.37
8,258.72	38.4%	5,087.37
3,438.80	38.4%	2,118.30
5,680.18	38.4%	3,498.99
3,518.33	38.4%	2,167.29
101.93	38.4%	62.79
133.30	38.4%	82.11
190.42	38.4%	117.30
66.09	38.4%	40.71
12,453.60	38.4%	7,671.42
1,197.42	38.4%	737.61
47.05	38.4%	28.98
243.07	38.4%	149.73
317.00	38.4%	195.27
247.55	38.4%	152.49
136.66	38.4%	84.18
99.69	38.4%	61.41
728.08	38.4%	448.50
943.15	38.4%	580.98
1,712.68	38.4%	1,055.01
2,415.00	38.4%	1,487.64
5,182.84	38.4%	3,192.63
1,618.59	38.4%	997.05
1,489.77	38.4%	917.70
85.13	38.4%	52.44
246.43	38.4%	151.80
342.76	38.4%	211.14
670.96	38.4%	413.31
19,653.80	38.4%	12,106.74
16,321.00	38.4%	10,053.74
19,653.80	38.4%	12,106.74

19,653.80	38.4%	12,106.74
25,402.31	38.4%	15,647.82
20,469.25	38.4%	12,609.06
20,469.25	38.4%	12,609.06
20,469.25	38.4%	12,609.06
20,469.25	38.4%	12,609.06
26,262.56	38.4%	16,177.74
6,804.79	38.4%	4,191.75
19,061.00	38.4%	11,741.58
19,061.00	38.4%	11,741.58
19,061.00	38.4%	11,741.58
22,952.58	38.4%	14,138.79
23,560.00	38.4%	14,512.96
14,199.89	38.4%	8,747.13
8,752.69	38.4%	5,391.66
7,414.00	38.4%	4,567.02
7,414.00	38.4%	4,567.02
7,414.00	38.4%	4,567.02
11,680.00	38.4%	7,194.88
11,501.49	38.4%	7,084.92
7,817.39	38.4%	4,815.51
7,817.39	38.4%	4,815.51
9,349.72	38.4%	5,759.43
9,349.72	38.4%	5,759.43
7,251.72	38.4%	4,467.06
7,251.72	38.4%	4,467.06
348.36	38.4%	214.59
183.70	38.4%	113.16
348.36	38.4%	214.59
472.69	38.4%	291.18
13,805.60	38.4%	8,504.25
5,848.20	38.4%	3,602.49
5,243.00	38.4%	3,229.69
5,848.20	38.4%	3,602.49
5,848.20	38.4%	3,602.49
11,270.75	38.4%	6,942.78
6,663.65	38.4%	4,104.81



6,663.65	38.4%	4,104.81
6,663.65	38.4%	4,104.81
6,663.65	38.4%	4,104.81
12,357.27	38.4%	7,612.08
4,816.56	38.4%	2,967.00
4,816.56	38.4%	2,967.00
4,816.56	38.4%	2,967.00
4,816.56	38.4%	2,967.00
6,692.78	38.4%	4,122.75
4,748.23	38.4%	2,924.91
7,118.43	38.4%	4,384.95
11,637.03	38.4%	7,168.41
3,416.40	38.4%	2,104.50
8,304.64	38.4%	5,115.66
822.18	38.4%	506.46
2,606.54	38.4%	1,605.63
486.14	38.4%	299.46
43.69	38.4%	26.91
1,609.63	38.4%	991.53
957.71	38.4%	589.95
265.47	38.4%	163.53
1,058.52	38.4%	652.05
667.60	38.4%	411.24
667.60	38.4%	411.24
698.96	38.4%	430.56
626.15	38.4%	385.71
467.09	38.4%	287.73
738.17	38.4%	454.71
807.61	38.4%	497.49
431.25	38.4%	265.65
453.65	38.4%	279.45
453.65	38.4%	279.45
1,360.96	38.4%	838.35
1,408.00	38.4%	867.33

1,390.08	38.4%	856.29
1,431.53	38.4%	881.82
711.28	38.4%	438.15
711.28	38.4%	438.15
884.90	38.4%	545.10
884.90	38.4%	545.10
538.78	38.4%	331.89
906.19	38.4%	558.21
943.15	38.4%	580.98
1,719.40	38.4%	1,059.15
551.10	38.4%	339.48
728.08	38.4%	448.50
728.08	38.4%	448.50
728.08	38.4%	448.50
88.49	38.4%	54.51
962.19	38.4%	592.71
604.87	38.4%	372.60
963.31	38.4%	593.40
600.39	38.4%	369.84
963.31	38.4%	593.40
628.39	38.4%	387.09
1,625.31	38.4%	1,001.19
341.64	38.4%	210.45
285.63	38.4%	175.95
538.78	38.4%	331.89
659.76	38.4%	406.41
204.98	38.4%	126.27
157.94	38.4%	97.29
388.69	38.4%	239.43
60.49	38.4%	37.26
235.23	38.4%	144.90
3,939.50	38.4%	2,426.73
7,877.87	38.4%	4,852.77
394.29	38.4%	242.88
788.57	38.4%	485.76
2,546.06	38.4%	1,568.37
43,862.96	38.4%	27,019.58
85,335.10	38.4%	52,566.42
129,196.99	38.4%	79,585.35

170,671.81	38.4%	105,133.84
52,730.18	38.4%	32,481.79
95,457.52	38.4%	58,801.83
156,536.44	38.4%	96,426.45
206,786.10	38.4%	127,380.24
48,706.48	38.4%	30,003.19
97,432.58	38.4%	60,018.47
146,116.89	38.4%	90,008.00
853.54	38.4%	525.78
853.54	38.4%	525.78
784.09	38.4%	483.00
1,045.08	38.4%	643.77
3,774.84	38.4%	2,325.30
8,507.39	38.4%	5,240.55
4,360.67	38.4%	2,686.17
8,327.05	38.4%	5,129.46
5,961.33	38.4%	3,672.18
5,961.33	38.4%	3,672.18
2,123.77	38.4%	1,308.24
5,961.33	38.4%	3,672.18
1,772.05	38.4%	1,091.58
1,772.05	38.4%	1,091.58
68,442.18	38.4%	42,160.38
29,265.63	38.4%	18,027.63
13,979.22	38.4%	8,611.20
77.29	38.4%	47.61

1,754.12	38.4%	1,080.54
583.59	38.4%	359.49
10,710.68	38.4%	6,597.78
10,887.66	38.4%	6,706.80
29,131.00	38.4%	17,944.70
44,810.00	38.4%	27,602.96
64,330.00	38.4%	39,627.28
18,737.00	38.4%	11,541.99
18,737.00	38.4%	11,541.99
18,737.00	38.4%	11,541.99
37,750.00	38.4%	23,254.00
5,505.44	38.4%	3,391.35
1,768.69	38.4%	1,089.51
1,574.90	38.4%	970.14
182.58	38.4%	112.47
56,346.00	38.4%	34,709.14
58,691.00	38.4%	36,153.66
59,276.00	38.4%	36,514.02
61,621.00	38.4%	37,958.54
1,159.33	38.4%	714.15
304.68	38.4%	187.68
1,447.21	38.4%	891.48
9,915.39	38.4%	6,107.88
9,992.68	38.4%	6,155.49
6,313.05	38.4%	3,888.84
7,761.38	38.4%	4,781.01
7,761.38	38.4%	4,781.01
8,614.92	38.4%	5,306.79
19,821.82	38.4%	12,210.24
23,029.87	38.4%	14,186.40
23,607.86	38.4%	14,542.44
69,467.00	38.4%	42,791.67
74,918.00	38.4%	46,149.49
108,367.00	38.4%	66,754.07
118,120.00	38.4%	72,761.92

121,373.00	38.4%	74,765.77
132,295.00	38.4%	81,493.72
3,052.35	38.4%	1,880.25
1,978.15	38.4%	1,218.54
5,680.18	38.4%	3,498.99
5,680.18	38.4%	3,498.99
1,845.97	38.4%	1,137.12
830.02	38.4%	511.29
24,238.49	38.4%	14,930.91
24,238.49	38.4%	14,930.91
24,607.01	38.4%	15,157.92
25,272.37	38.4%	15,567.78
112,590.00	38.4%	69,355.44
112,590.00	38.4%	69,355.44
112,590.00	38.4%	69,355.44
112,590.00	38.4%	69,355.44
76,561.00	38.4%	47,161.58
67,856.00	38.4%	41,799.30
23,148.00	38.4%	14,259.17
34,389.00	38.4%	21,183.62
25,951.00	38.4%	15,985.82
39,549.00	38.4%	24,362.18
30,719.00	38.4%	18,922.90
42,624.00	38.4%	26,256.38
12,991.27	38.4%	8,002.62
12,991.27	38.4%	8,002.62
15,361.46	38.4%	9,462.66
19,639.24	38.4%	12,097.77
18,599.76	38.4%	11,457.45
392.05	38.4%	241.50
1,757.48	38.4%	1,082.61
3,203.57	38.4%	1,973.40
7,116.19	38.4%	4,383.57
761.69	38.4%	469.20
357.32	38.4%	220.11
5,430.39	38.4%	3,345.12
7,402.94	38.4%	4,560.21
525.34	38.4%	323.61
6,195.44	38.4%	3,816.39
9,655.52	38.4%	5,947.80
10,530.34	38.4%	6,486.69

12,080.60	38.4%	7,441.65
12,705.63	38.4%	7,826.67
12,991.27	38.4%	8,002.62
12,991.27	38.4%	8,002.62
15,361.46	38.4%	9,462.66
20,974.43	38.4%	12,920.25
18,599.76	38.4%	11,457.45
325,705.00	38.4%	200,634.28
522,068.00	38.4%	321,593.88
13,038.31	38.4%	8,031.60
17,074.14	38.4%	10,517.67
17.92	38.4%	11.04
19.04	38.4%	11.73
19.04	38.4%	11.73
5,434.87	38.4%	3,347.88
527.58	38.4%	324.99
537.66	38.4%	331.20
912.91	38.4%	562.35
597.03	38.4%	367.77
870.34	38.4%	536.13
1,241.10	38.4%	764.52
3,857.73	38.4%	2,376.36
3,363.75	38.4%	2,072.07
2,868.65	38.4%	1,767.09
1,224.30	38.4%	754.17
2,868.65	38.4%	1,767.09
23,359.19	38.4%	14,389.26
23,359.19	38.4%	14,389.26
30,687.08	38.4%	18,903.24
40,078.25	38.4%	24,688.20
52,062.52	38.4%	32,070.51
11,299.87	38.4%	6,960.72
11,299.87	38.4%	6,960.72
11,299.87	38.4%	6,960.72
15,361.46	38.4%	9,462.66
18,871.95	38.4%	11,625.12
392.05	38.4%	241.50
1,757.48	38.4%	1,082.61
395.41	38.4%	243.57
149,976.00	38.4%	92,385.22
141,795.00	38.4%	87,345.72
153,643.00	38.4%	94,644.09
145,462.00	38.4%	89,604.59

157,103.00	38.4%	96,775.45
148,922.00	38.4%	91,735.95
166,833.00	38.4%	102,769.13
158,653.00	38.4%	97,730.25
154,164.00	38.4%	94,965.02
176,205.10	38.4%	108,542.34
157,837.00	38.4%	97,227.59
149,654.00	38.4%	92,186.86
161,495.00	38.4%	99,480.92
180,603.89	38.4%	111,252.00
172,027.00	38.4%	105,968.63
193,665.97	38.4%	119,298.24
188,228.00	38.4%	115,948.45
208,136.64	38.4%	128,212.17
166,092.00	38.4%	102,312.67
185,389.86	38.4%	114,200.15
167,910.00	38.4%	103,432.56
191,198.01	38.4%	117,777.97
172,791.00	38.4%	106,439.26
194,077.55	38.4%	119,551.77
197,299.00	38.4%	121,536.18
223,539.84	38.4%	137,700.54
5,966.93	38.4%	3,675.63
10,300.71	38.4%	6,345.24
12,225.10	38.4%	7,530.66
14,153.96	38.4%	8,718.84
2,323.15	38.4%	1,431.06
957.71	38.4%	589.95
6,944.81	38.4%	4,278.00
38,118.02	38.4%	23,480.70
38,118.02	38.4%	23,480.70
52,036.75	38.4%	32,054.64
66,009.25	38.4%	40,661.70
686.64	38.4%	422.97
5,093.23	38.4%	3,137.43
4,040.31	38.4%	2,488.83
8,008.93	38.4%	4,933.50
15.68	38.4%	9.66
17.92	38.4%	11.04
19.04	38.4%	11.73
686.64	38.4%	422.97
7,782.66	38.4%	4,794.12

6,071.10	38.4%	3,739.80
1,599.55	38.4%	985.32
33,969.00	38.4%	20,924.90
20,885.94	38.4%	12,865.74
19,376.00	25.0%	14,532.00
14,074.00	25.0%	10,555.50
13,712.00	25.0%	10,284.00
7,053.00	25.0%	5,289.75
8,047.00	25.0%	6,035.25
10,708.00	25.0%	8,031.00
5,800.00	25.0%	4,350.00
2,933.04	25.0%	1,806.75
19,425.00	25.0%	14,568.75
29,042.00	25.0%	21,781.50
15,683.00	25.0%	11,762.25
188.72	25.0%	116.25
244.72	25.0%	150.75
362.82	25.0%	223.50
1,997.97	25.0%	1,230.75
3,149.76	25.0%	1,940.25
922.89	25.0%	568.50
390.83	25.0%	240.75
312.91	25.0%	192.75
323.86	25.0%	199.50
138.80	25.0%	85.50
219.16	25.0%	135.00
219.16	25.0%	135.00
562.50	25.0%	346.50
952.11	25.0%	586.50
784.09	25.0%	483.00
239.85	25.0%	147.75
371.35	25.0%	228.75
1,278.41	25.0%	787.50
1,293.02	25.0%	796.50
24.64	25.0%	15.18
22.40	25.0%	13.80
47.48	25.0%	29.25
58.44	25.0%	36.00
58.44	25.0%	36.00
909.50	25.0%	560.25
41.44	25.0%	25.53



25.76	25.0%	15.87
35.84	25.0%	22.08
39.20	25.0%	24.15
17,051.00	25.0%	12,788.25
9,658.00	25.0%	7,243.50
4,390.00	25.0%	3,292.50
17,505.00	25.0%	13,128.75
413.96	25.0%	255.00
4,037.34	25.0%	2,487.00
3,684.25	25.0%	2,269.50
26.88	25.0%	16.56
62.09	25.0%	38.25
356.74	25.0%	219.75
196.02	25.0%	120.75
403.00	25.0%	248.25
185.06	25.0%	114.00
611.20	25.0%	376.50
455.36	25.0%	280.50
39.20	25.0%	24.15
1,554.79	25.0%	957.75
359.17	25.0%	221.25
440.75	25.0%	271.50
6,317.78	25.0%	3,891.75
2,609.17	25.0%	1,607.25
7,703.33	25.0%	4,745.25
417.61	25.0%	257.25
459.01	25.0%	282.75
35.84	25.0%	22.08
915.58	25.0%	564.00
918.02	25.0%	565.50
672.08	25.0%	414.00
508.93	25.0%	313.50
870.54	25.0%	536.25
81.77	25.0%	50.37
81.77	25.0%	50.37
81.77	25.0%	50.37
964.29	25.0%	594.00
3,991.07	25.0%	2,458.50
37,124.00	25.0%	27,843.00
23,168.00	25.0%	17,376.00
43,918.00	25.0%	32,938.50
1,971.19	25.0%	1,214.25
823.05	25.0%	507.00
521.10	25.0%	321.00

1,635.15	25.0%	1,007.25
3,760.96	25.0%	2,316.75
784.09	25.0%	483.00
6,164.37	25.0%	3,797.25
2,528.81	25.0%	1,557.75
59.66	25.0%	36.75
14.61	25.0%	9.00
2,297.48	25.0%	1,415.25
3,439.53	25.0%	2,118.75
69.45	38.4%	42.78
8,523.07	38.4%	5,250.21
7,895.80	38.4%	4,863.81
14,724.11	38.4%	9,070.05
14,724.11	38.4%	9,070.05
14,724.11	38.4%	9,070.05
14,724.11	38.4%	9,070.05
11,982.03	38.4%	7,380.93
11,982.03	38.4%	7,380.93
11,982.03	38.4%	7,380.93
11,982.03	38.4%	7,380.93
20,630.55	38.4%	12,708.42
20,630.55	38.4%	12,708.42
22,171.85	38.4%	13,657.86
26,764.38	38.4%	16,486.86
26,764.38	38.4%	16,486.86
28,043.57	38.4%	17,274.84
13,702.55	38.4%	8,440.77
15,964.09	38.4%	9,833.88
6,197.68	38.4%	3,817.77
8,115.34	38.4%	4,999.05
11,210.26	38.4%	6,905.52
29,472.86	38.4%	18,155.28
32,152.21	38.4%	19,805.76
9,914.27	38.4%	6,107.19
10,418.33	38.4%	6,417.69
16,171.31	38.4%	9,961.53
38,853.00	38.4%	23,933.45
42,092.00	38.4%	25,928.67
30,598.59	38.4%	18,848.73
75,949.40	38.4%	46,784.83
91,792.40	38.4%	56,544.12
27,860.99	38.4%	17,162.37
37,853.67	38.4%	23,317.86
75,936.06	38.4%	46,776.62

113,557.65	38.4%	69,951.51
65,790.83	38.4%	40,527.15
742.65	38.4%	457.47
742.65	38.4%	457.47
2,538.21	38.4%	1,563.54
8,712.37	38.4%	5,366.82
10,658.04	38.4%	6,565.35
476.06	38.4%	293.25
5,182.84	38.4%	3,192.63
7,663.93	38.4%	4,720.98
17,859.35	38.4%	11,001.36
24,238.49	38.4%	14,930.91
1,018.20	38.4%	627.21
943.15	38.4%	580.98
183.70	38.4%	113.16
2,162.97	38.4%	1,332.39
3,887.97	38.4%	2,394.99
751.61	38.4%	462.99
3,252.86	38.4%	2,003.76